

Dedication



We dedicated this publication to all the men and women in the fire service who have committed themselves to saving lives and property in the face of adversity whether they are serving abroad or in our country.

State of Idaho

DEPARTMENT OF INSURANCE DIVISION OF THE STATE FIRE MARSHAL

DIRK KEMPTHORNEGovernor

700 West State Street, 3rd Floor P.O. Box 83720 Boise, Idaho 83720-0043 Phone (208)334-4370 FAX # (208)334-4375 GARY SMITH
Director

MARK LARSON State Fire Marshal

July 1, 2005

Honorable Dirk Kempthorne Governor, State of Idaho Statehouse Boise, ID 83720

Dear Governor Kempthorne:

The 2004 annual report is based on the information submitted by 176 Idaho fire departments, districts and associations. These dedicated public servants, both career and volunteer, protect over 97 percent of Idaho's population.

The number of reported fires in Idaho was down 5 percent over those reported in 2003. This is more than twice the percentage of decline reported on a national level by the National Fire Protection Association.

Civilian fire deaths declined a slight .6 percent on a national level, but Idaho experienced a 20 percent reduction in civilian fatalities in 2004. We were very fortunate that there were no line of duty deaths experienced by the reporting fire agencies in 2004.

We can all strive to continue this positive reduction in fire service statistics. Idaho was a safer state in 2004 thanks to the efforts of the 5,494 firefighters and the 236 departments that support them.

My entire staff and I remain dedicated to the state of Idaho.

Respectfully submitted,

Mark Larson State Fire Marshal

Fire in Idaho

2004

Governor Dirk Kempthorne

Department of Insurance Mary L. Hartung, Director

Idaho State Fire Marshal Mark Larson

Mission Statement

The State Fire Marshal's Office participates in and coordinates an integrated statewide system designed to protect human life from fire and explosions through fire prevention and the investigation of fires. The program involves fire prevention activities, arson investigations, and the operation of various statistical systems, including the Idaho Fire Incident Reporting System (IFIRS).

This report is a summary of the fire incidents reported to this office by the departments participating in the Idaho Fire Incident Reporting System (IFIRS) as well as the activities of the Office of the State Fire Marshal. My staff and I thank those departments for their time and efforts.

Fires were only 10% of the incidents emergency vehicles responded to in 2004. This number has been decreasing over the last four years. This smaller number of fires resulted in \$32,829,344 of estimated fire losses. This figure was almost the same as in 2003.

Nationally, a fire department responds to a fire every 20 seconds and a structure fire every 60 seconds. In Idaho, our emergency service responders go to a fire every 1.3 hours and a structure fire every 5.7 hours. Almost 90 percent of Idaho fire departments responses are to non-fire incidents.

The State Fire Marshal's Office continues to work as a resource for local departments in instructional, fire code and fire investigation activities. Through our data collection efforts and the application of improving technology, we can continue to show local departments how to utilize the statistics they generate.

Visit the Idaho State Fire Marshal's website at http://www.doi.idaho.gov/sfm/firemars.aspx




Table of Contents

| ran | T I - STATE FIRE MARSHAL DIVISION | |
|--------|--|----|
| | Organizational Chart/Advisory Board | |
| | Fire Prevention | |
| | Fire and Arson Investigations | 5 |
| PAR | T II - INCIDENT SUMMARY STATISTICS | |
| All In | cident Summary | |
| | 2004 Incident Picture at a Glance | 6 |
| | 2004 State Incident Summary | 7 |
| | Top 10 by Incident Type | 8 |
| | Time, Month, Day1 | |
| | Firefighter Costs by Incident Type/Actions Taken | |
| | Rescue and Emergency Medical Services | |
| | Firefighters Injuries and Fatalities | 3 |
| Fires | | |
| | All Fires by Property Type | 5 |
| | All Fires by Ignition - Top 5 | |
| | Intentionally Set Fires | |
| | Juvenile Firesetters1 | 8 |
| | Wildland Fires | 9 |
| | Mobile Property Fires | |
| | Civilian Injuries and Fatalities | :1 |
| | Structures/Residential | |
| | Losses/Automatic Extinguishing System | |
| | Fire Causes by Property Type (Top 5) | |
| | Residential Structures | |
| | Most Frequent Areas of Residential Fires | |
| | Detectors | |
| | Structure Fires by County | 28 |
| PAR | T III - PARTICIPANTS | |
| | Participants | 1 |
| | Fire Department Responses | 1 |



State Fire Marshal Division




District II

Scott Buck, Deputy Fire Marshal, Prevention Richard Hahn, Deputy Fire Marshal, Investigation



State Fire Marshal Organizational Chart



^{*}Gary Smith took office December 2004.

Advisory Board 2004

Ben Estes, Pocatello Robert Tyler, Sandpoint Doug Brown, Caldwell Lynn Borders, Post Falls Ron Clark, Twin Falls Bill Cowin, Kingston Richard Gabriel, Moscow Ron Anderson, Nampa Bart Lassman, Hailey Kevin Quick, Pocatello Dean Ellis, Idaho Falls Shane Walker, Boise Dave Hanneman, Boise Jim Washko, Coeur d'Alene Kevin Courtney, Star

Fire Prevention

Fire Prevention Deputies provide a statewide program for fire prevention through the inspection of buildings, review of new construction plans, fire cause and origin determination, and fire code training to certify fire inspectors.

Plan reviews are conducted on all state buildings as required by statute as well as those requested by local jurisdictions.

The deputies also provide assistance with fire alarm testing and sprinkler inspection as well as code interpretation and assistance when requested by the local jurisdictions.

Deputies are responsible for providing training and testing for certification in the application of the state-adopted fire code. This ensures consistency in the interpretation and application of the fire code throughout the state of Idaho.



Photo by Richard Hahn

2004

21 - Classes Taught 272 - Plan Review 238 - Inspections

District I


Jim Macklin (home/office) Lewiston, ID 83501 208-799-5024

District II

Scott Buck 700 W. State Street Boise, ID 83720-0043 208-334-4370

District III

Terry Edwards 1820 E 17th St, Suite 365 Idaho Falls, ID 83404 208-525-7022





Fire Prevention

Certification and Licensing

Rule 18.01.43 - Fire Inspector Certification

This rule ensures that fire inspectors meet minimum standards. Applicants must complete a 24-hour International Fire Code class and pass an examination. Initial certification must be renewed on an annual basis

Certifications Issued and Renewed: 682

Rule 18.01.49 - Fire Protection Sprinkler License

This rule sets standards and ensures the competency of sprinkler companies that operate in Idaho. Company owners must meet minimum qualifications and test to be licensed. Fire protection sprinkler fitters can choose to be licensed by meeting minimum qualifications and testing.

Certifications Issued and Renewed: Contractors - 52 Plans Reviewed - 374

Fitters - 45 Inspections - 59

Idaho Code Section 39-2603 - Fireworks Wholesale or Import License

This statute sets the standards for the issuance of fireworks wholesale and import licenses.

Licenses Issued and Renewed: 38

Property Insurance Loss Register (PILR)

Insurance companies are required to report claims on fire losses over \$1,000 within 7 days of settlement. There were 931 claims during 2004.


Property Losses Paid: \$43,849,062

Idaho Fire Incident Reporting System (IFIRS)

There were 7 departments (Chubbuck, Kootenai County, Lewiston, Hailey, Cottonwood, Twin Falls, and Sagle) that received \$111,819 in Fire Prevention and Safety Program grants during the 2004 Assistance

to Firefighters Grant Program. This is a sharp contrast to the 47 departments that received over \$4,827,841 in grants for Firefighter Safety and Firefighting Vehicles.

The need for fire safety education is still very evident. The number of fire calls is decreasing as Idaho's population continues to grow, yet the nine-year comparison of civilian and firefighter casualties show the number of firefighter casualties decline while the civilian casualties remain constant.



Source: IFIRS - This table shows civilian casualty rates based on fires only, per 1,000 fires. Fire service casualty rates are based on all-incident types per 10,000 incidents.



Fire and Arson Investigations

Fire investigation is an important tool for the future of fire and arson prevention. The investigation of all fire incidents can be a deterrent to the arsonists when they know all fires will be

closely examined. Through the investigation for origin and cause, fire prevention education needs can be customized for local communities and the importance of fire and building codes can be realized.

The Fire Marshal's Office investigated 85 fires during 2004. Of those, 16% were intentionally caused. The Fire Marshal's Office is requested to assist in the investigation of only 14% of the undetermined fires that occur within the state. Fire departments within the state listed 646 fires with the cause being **undetermined**. Many of these fires are possible arson fires. Fire departments who list a fire cause as undetermined could request further assistance from the State Fire Marshal's Office or other available resources in order to determine the cause and reduce the crimeof arson.



Photo by Richard Hahn

Fire department investigators need to keep up to date on new technology and investigative techniques in order to increase our efforts to identify the origin and cause of fires. Arson is a crime, and law enforcement personnel need to be involved in the investigation of a suspicious fire. The State Fire Marshal's Office will provide training at no cost to all public safety agencies.

District I

Mark Aamodt 2005 Ironwood Parkway #143 Coeur d'Alene, ID 83814 208-769-1447


District II

Richard Hahn 700 W. State Street Boise, ID 83720-0043 208-334-4370

District III

Ivan Hibbert 1820 E. 17th St., Suite 365 Idaho Falls, ID 83404 208-525-7209

Statewide Investigation Totals





The information in this report comes directly from the incident reports sent to the State Fire Marshal. The number of reporting departments has increased to 75% of all departments and covers 97% of the population protected. The number of incidents submitted has increased by 8% from 2003.

The role of the emergency services continues to change with 90% of all incidents non-fire. However, summaries on types of fires and their causes are detailed in this report because fires cause the most devastation in terms of human life and economics to the family and community.

2004 Incident Picture at a Glance

FIRES - down 13%

Structure fires – down 5% Fire deaths – down 19% Fire injuries – down 14% Property damage – up \$500,000

ALL INCIDENTS

Fire service injuries - up 4% Fire service deaths - none

NON-FIRE INCIDENTS – Up 9%

EMS – up 12%
False alarms – up 9%
Hazardous conditions – down 7%
Service calls – up 8%
Good intent – up 10%


Total of all incidents reported – up 12% from 2003

Fires/Non-Fires

- · No children died in fires during 2004, but injuries stay up
- Ages of juvenile-set fires are up; number of fires are down
- Intentionally set fires 8% of total fires
- Nature caused 19% of wildland fires
- Unsupervised persons 63% of wildland fires
- Three out of every 5 incidents are EMS
- · Motor vehicles accidents 12% of all EMS calls
- · Decline in resources dispatched to the emergency scene



2004 State Incident Summary



Total Responses by Type Mutual Aid Given

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|-----------------|--------|--------|---------|---------|----------|-----------|-------|--------------|-----|-------|-----|-------|
| | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Fire | 6,329 | 10.5% | 0:08:14 | 46.3% | 1:55:47 | 3.0 | 6.0 | \$32,829,341 | 64 | 14 | 33 | 0 |
| Explosion | 167 | 0.3% | 0:05:13 | 65.9% | 0:32:42 | 3.0 | 6.0 | \$66,150 | 0 | 0 | 0 | 0 |
| EMS | 35,913 | 59.8% | 0:06:06 | 63.2% | 0:34:06 | 1.0 | 3.0 | \$735,000 | 8 | 8 | 15 | 0 |
| Hazard | 3,457 | 5.8% | 0:07:10 | 52.3% | 0:49:22 | 2.0 | 4.0 | \$1,422,281 | 11 | 3 | 1 | 0 |
| Service | 2,933 | 4.9% | 0:07:16 | 50.4% | 0:39:11 | 2.0 | 3.0 | \$234,275 | 0 | 0 | 0 | 0 |
| Assist | 5,974 | 10.0% | 0:06:55 | 26.0% | 0:18:46 | 2.0 | 4.0 | \$41,850 | 0 | 0 | 0 | 0 |
| False Alarms | 5,052 | 8.4% | 0:05:24 | 66.2% | 0:20:58 | 3.0 | 6.0 | \$69,500 | 0 | 0 | 1 | 0 |
| Weather | 40 | 0.1% | 0:07:41 | 50.0% | 0:59:24 | 2.0 | 5.0 | \$14,600 | 0 | 0 | 0 | 0 |
| Other | 153 | 0.3% | 0:06:19 | 57.5% | 0:48:06 | 1.0 | 3.0 | \$0 | 0 | 0 | 0 | 0 |
| * Total/Average | 60,018 | 100.0% | 0:06:26 | 56.7% | 0:41:15 | 2.1 | 4.5 | \$35,412,997 | 83 | 25 | 50 | 0 |

*Calculation of Total Averages is based on grand total of all response times divided by grand total of incidents (60,018).

The National Fire Protection Association guidelines for response time indicate a department should be able to respond to a structure fire call within 6 minutes, 90% of the time. Only 35% of fire departments nationwide achieved that goal in 2002. Nationally, only 54% of career departments met that criterion in that same year.

Average response time is just that, an average. One or two remote calls can offset numerous quick responses for a department s annual statistics. Each department s response time is impacted by numerous factors, including: manpower, station location, time of day, and time of year. Another consideration is the calculation of response time - does the department start it from time of dispatch notification, fire department notification, or leaving the station?

Given the size of the state and the rural nature of over 80% of the responding departments, Idaho's statistical averages look very good.



Top 10 by Incident Type (No Mutual Aid Given)

Fire

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|-----------------------------|-----|-------|---------|---------|----------|-----------|-------|--------------|-----|-------|-----|-------|
| | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Building fires | 811 | 15.3% | 0:06:51 | 52.9% | 2:11:43 | 4.9 | 10.4 | \$27,836,443 | 50 | 10 | 26 | 0 |
| Passenger vehicle fire | 688 | 12.9% | 0:06:04 | 61.2% | 0:40:44 | 2.1 | 5.0 | \$975,550 | 2 | 0 | 1 | 0 |
| Brush and grass fire | 543 | 10.2% | 0:09:05 | 36.8% | 1:06:30 | 3.0 | 6.8 | \$36,400 | 1 | 0 | 1 | 0 |
| Grass fire | 539 | 10.1% | 0:07:30 | 46.4% | 0:39:57 | 2.8 | 5.5 | \$18,285 | 3 | 0 | 0 | 0 |
| Outside rubbish, trash fire | 412 | 7.8% | 0:06:58 | 47.3% | 0:34:59 | 2.0 | 5.1 | \$38,160 | 0 | 0 | 0 | 0 |
| Fire, other | 296 | 5.6% | 0:07:01 | 53.0% | 0:43:35 | 2.6 | 5.6 | \$76,257 | 0 | 0 | 0 | 0 |
| Chimney or flue fire | 252 | 4.7% | 0:07:45 | 48.8% | 0:43:25 | 3.3 | 6.0 | \$44,700 | 0 | 0 | 0 | 0 |
| Cooking fire | 230 | 4.3% | 0:04:50 | 71.3% | 0:30:21 | 3.4 | 7.9 | \$145,990 | 2 | 0 | 0 | 0 |
| Dumpster fire | 181 | 3.4% | 0:05:20 | 71.3% | 0:27:18 | 1.5 | 4.4 | \$17,815 | 0 | 0 | 0 | 0 |
| Outside rubbish fire | 180 | 3.4% | 0:08:00 | 40.0% | 0:33:24 | 1.7 | 3.8 | \$1,500 | 0 | 0 | 0 | 0 |

Good Intent

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|------------------------------------|-------|-------|---------|---------|----------|-----------|-------|----------|-----|-------|-----|-------|
| | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Dispatched & canceled en route | 2,878 | 54.1% | 0:06:26 | 6.8% | 0:10:27 | 1.4 | 3.6 | \$35,000 | 0 | 0 | 0 | 0 |
| Good intent call | 784 | 14.7% | 0:06:22 | 58.2% | 0:23:23 | 2.0 | 3.9 | \$3,800 | 0 | 0 | 0 | 0 |
| Controlled burning | 590 | 11.1% | 0:08:20 | 41.4% | 0:27:53 | 1.9 | 4.1 | \$1,600 | 0 | 0 | 0 | 0 |
| Smoke scare, odor of smoke | 411 | 7.7% | 0:05:46 | 58.2% | 0:25:34 | 2.8 | 6.2 | \$1,450 | 0 | 0 | 0 | 0 |
| Steam or dust | 165 | 3.1% | 0:05:47 | 61.2% | 0:17:32 | 2.4 | 5.5 | \$0 | 0 | 0 | 0 | 0 |
| No incident found | 153 | 2.9% | 0:08:19 | 35.3% | 0:17:17 | 1.8 | 4.2 | \$0 | 0 | 0 | 0 | 0 |
| Hazmat release investigation | 104 | 2.0% | 0:06:54 | 52.9% | 0:48:45 | 1.3 | 3.1 | \$0 | 0 | 0 | 0 | 0 |
| Steam, other gas | 74 | 1.4% | 0:05:10 | 64.9% | 0:16:05 | 2.3 | 5.7 | \$0 | 0 | 0 | 0 | 0 |
| Wrong location | 55 | 1.0% | 0:07:26 | 43.6% | 0:16:36 | 1.7 | 3.7 | \$0 | 0 | 0 | 0 | 0 |
| EMS transported by non-fire agency | 39 | 0.7% | 0:06:39 | 56.4% | 0:17:01 | 1.7 | 3.3 | \$0 | 0 | 0 | 0 | 0 |

EMS

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|-----------------------------------|--------|-------|---------|---------|----------|-----------|-------|-----------|-----|-------|-----|-------|
| | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| EMS call | 22,921 | 65.8% | 0:05:44 | 67.1% | 0:31:55 | 1.4 | 2.4 | \$0 | 0 | 0 | 10 | 0 |
| Rescue, EMS | 4,079 | 11.7% | 0:07:11 | 54.9% | 0:45:09 | 1.4 | 3.2 | \$29,000 | 0 | 1 | 0 | 0 |
| Assist EMS crew | 3,353 | 9.6% | 0:06:08 | 55.5% | 0:27:49 | 1.6 | 3.9 | \$43,000 | 0 | 0 | 0 | 0 |
| Vehicle accident with injuries | 2,835 | 8.1% | 0:06:04 | 64.8% | 0:32:13 | 1.8 | 3.5 | \$324,900 | 6 | 2 | 5 | 0 |
| Vehicle accident with no injuries | 705 | 2.0% | 0:06:15 | 58.7% | 0:25:47 | 1.3 | 3.7 | \$0 | 0 | 0 | 0 | 0 |
| Motor vehicle/pedestrian accident | 292 | 0.8% | 0:04:44 | 74.7% | 0:49:07 | 1.4 | 3.1 | \$0 | 0 | 0 | 0 | 0 |
| Extrication from vehicle | 240 | 0.7% | 0:08:46 | 36.7% | 1:00:26 | 2.5 | 6.1 | \$336,900 | 2 | 3 | 0 | 0 |
| Rescue or EMS standby | 155 | 0.4% | 0:07:59 | 48.4% | 0:47:45 | 1.8 | 3.3 | \$1,200 | 0 | 0 | 0 | 0 |
| Lock-in | 69 | 0.2% | 0:06:42 | 50.7% | 0:22:09 | 1.4 | 3.0 | \$0 | 0 | 0 | 0 | 0 |
| Extrication, rescue, other | 53 | 0.2% | 0:08:49 | 43.4% | 1:00:39 | 2.3 | 5.4 | \$0 | 0 | 1 | 0 | 0 |

Overpressure

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|--------------------------------|----|-------|---------|---------|----------|-----------|-------|----------|-----|-------|-----|-------|
| | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Excessive heat, no ignition | 91 | 61.1% | 0:04:27 | 74.7% | 0:30:58 | 3.4 | 6.5 | \$4,650 | 0 | 0 | 0 | 0 |
| OP rupture, explosion | 17 | 11.4% | 0:06:23 | 47.1% | 0:29:25 | 2.6 | 4.5 | \$61,000 | 0 | 0 | 0 | 0 |
| OP rupture, air or gas | 10 | 6.7% | 0:04:54 | 70.0% | 0:47:56 | 2.8 | 7.8 | \$0 | 0 | 0 | 0 | 0 |
| Explosion (no fire), other | 9 | 6.0% | 0:05:14 | 66.7% | 0:53:26 | 2.4 | 5.7 | \$500 | 0 | 0 | 0 | 0 |
| Air or gas rupture of pressure | 5 | 3.4% | 0:06:24 | 40.0% | 0:37:31 | 2.8 | 4.4 | \$0 | 0 | 0 | 0 | 0 |
| Fireworks explosion (no fire) | 5 | 3.4% | 0:06:52 | 60.0% | 0:12:35 | 1.6 | 3.6 | \$0 | 0 | 0 | 0 | 0 |
| OP rupture, other | 5 | 3.4% | 0:08:47 | 20.0% | 0:26:46 | 2.2 | 6.6 | \$0 | 0 | 0 | 0 | 0 |
| Chemical reaction rupture | 4 | 2.7% | 0:04:31 | 50.0% | 0:32:36 | 2.3 | 6.3 | \$0 | 0 | 0 | 0 | 0 |
| OP rupture from steam | 2 | 1.3% | 0:07:30 | 50.0% | 0:15:00 | 2.0 | 5.0 | \$0 | 0 | 0 | 0 | 0 |
| Steam rupture | 1 | 0.7% | 0:03:00 | 100.0% | 0:30:00 | 1.0 | 4.0 | \$0 | 0 | 0 | 0 | 0 |

Top 10 by Incident Type (continued) (No Mutual Aid Given)

HazMat

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|------------------------------------|-------|-------|---------|---------|----------|-----------|-------|-----------|-----|-------|-----|-------|
| | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Vehicle accident, cleanup | 1,046 | 31.8% | 0:06:14 | 58.4% | 0:35:42 | 1.4 | 4.1 | \$126,650 | 8 | 3 | 1 | 0 |
| Gas leak (natural gas or LPG) | 359 | 10.9% | 0:06:15 | 51.8% | 0:39:58 | 1.8 | 4.3 | \$1,200 | 0 | 0 | 0 | 0 |
| Power line down | 333 | 10.1% | 0:07:28 | 44.4% | 0:47:03 | 1.5 | 4.0 | \$10,500 | 0 | 0 | 0 | 0 |
| Gasoline/flammable liquid spill | 220 | 6.7% | 0:07:22 | 53.6% | 0:58:48 | 1.6 | 3.6 | \$3,316 | 0 | 0 | 0 | 0 |
| Aircraft standby | 213 | 6.5% | 0:07:29 | 39.9% | 1:26:23 | 1.5 | 3.6 | \$1,000 | 0 | 0 | 0 | 0 |
| Arcing, electrical equipment | 165 | 5.0% | 0:06:32 | 51.5% | 0:33:56 | 2.1 | 4.4 | \$10,480 | 0 | 0 | 0 | 0 |
| Electrical wiring/equipment | 154 | 4.7% | 0:05:32 | 63.6% | 0:30:21 | 2.6 | 4.8 | \$760 | 0 | 0 | 0 | 0 |
| Hazardous condition, other | 124 | 3.8% | 0:08:32 | 50.0% | 0:54:34 | 1.9 | 3.0 | \$3,000 | 0 | 0 | 0 | 0 |
| Accident/potential accident, other | 123 | 3.7% | 0:08:08 | 42.3% | 0:38:17 | 1.7 | 3.3 | \$45,000 | 0 | 0 | 0 | 0 |
| Oil/combustible liquid spill | 106 | 3.2% | 0:06:40 | 47.2% | 0:52:04 | 1.6 | 3.3 | \$1,600 | 0 | 0 | 0 | 0 |

Service Calls

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|----------------------------------|-----|-------|---------|---------|----------|-----------|-------|----------|-----|-------|-----|-------|
| | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Assist invalid | 426 | 15.1% | 0:06:28 | 49.3% | 0:17:00 | 1.1 | 2.7 | \$0 | 0 | 0 | 0 | 0 |
| Unauthorized burning | 400 | 14.2% | 0:08:27 | 36.5% | 0:31:28 | 1.6 | 3.4 | \$200 | 0 | 0 | 0 | 0 |
| Smoke or odor removal | 319 | 11.3% | 0:05:55 | 57.7% | 0:28:12 | 2.9 | 5.3 | \$21,025 | 0 | 0 | 0 | 0 |
| Assist police | 300 | 10.6% | 0:11:05 | 52.0% | 1:38:37 | 1.5 | 3.7 | \$0 | 0 | 0 | 0 | 0 |
| Public service | 290 | 10.3% | 0:07:15 | 48.3% | 0:29:25 | 1.1 | 2.8 | \$11,600 | 0 | 0 | 0 | 0 |
| Public service assistance, other | 288 | 10.2% | 0:05:39 | 60.4% | 0:26:01 | 1.1 | 2.4 | \$0 | 0 | 0 | 0 | 0 |
| Service call, other | 258 | 9.2% | 0:07:29 | 46.1% | 0:44:36 | 1.4 | 2.7 | \$11,000 | 0 | 0 | 0 | 0 |
| Person in distress, other | 187 | 6.6% | 0:05:52 | 51.9% | 0:19:42 | 1.3 | 2.0 | \$0 | 0 | 0 | 0 | 0 |
| Water or steam leak | 64 | 2.3% | 0:06:09 | 56.3% | 0:37:34 | 2.4 | 15.4 | \$86,200 | 0 | 0 | 0 | 0 |
| Lock-out | 62 | 2.2% | 0:06:00 | 50.0% | 0:17:10 | 1.3 | 1.9 | \$0 | 0 | 0 | 0 | 0 |

False Alarm

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|-------------------------------------|-----|-------|---------|---------|----------|-----------|-------|---------|-----|-------|-----|-------|
| | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | Inj | Fatal |
| False alarm | 939 | 19.7% | 0:06:20 | 57.4% | 0:18:28 | 2.3 | 4.3 | \$0 | 0 | 0 | 0 | 0 |
| Smoke detector activation, no fire | 729 | 15.3% | 0:05:05 | 71.1% | 0:18:15 | 3.2 | 7.0 | \$0 | 0 | 0 | 1 | 0 |
| Alarm system, no fire | 654 | 13.7% | 0:04:58 | 69.3% | 0:21:26 | 3.3 | 7.1 | \$0 | 0 | 0 | 0 | 0 |
| Smoke detector malfunction | 589 | 12.3% | 0:05:15 | 68.3% | 0:22:42 | 3.0 | 7.1 | \$0 | 0 | 0 | 0 | 0 |
| Alarm system malfunction | 476 | 10.0% | 0:05:23 | 64.7% | 0:24:15 | 3.1 | 7.2 | \$0 | 0 | 0 | 0 | 0 |
| Detector activation, no fire | 306 | 6.4% | 0:04:48 | 70.6% | 0:17:31 | 3.3 | 7.2 | \$0 | 0 | 0 | 0 | 0 |
| System malfunction, other | 226 | 4.7% | 0:04:48 | 74.3% | 0:23:09 | 3.3 | 6.9 | \$0 | 0 | 0 | 0 | 0 |
| Unintentional transmission of alarm | 218 | 4.6% | 0:04:40 | 74.8% | 0:17:10 | 2.9 | 6.7 | \$0 | 0 | 0 | 0 | 0 |
| Sprinkler activation, no fire | 115 | 2.4% | 0:05:10 | 68.7% | 0:28:02 | 4.2 | 8.0 | \$7,500 | 0 | 0 | 0 | 0 |
| Malicious, mischievous false call | 99 | 2.1% | 0:04:48 | 78.8% | 0:18:50 | 3.5 | 7.5 | \$0 | 0 | 0 | 0 | 0 |

Weather

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|----------------------------|----|-------|---------|---------|----------|-----------|-------|---------|-----|-------|-----|-------|
| | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Wind storm | 12 | 30.8% | 0:07:50 | 33.3% | 0:57:50 | 3.1 | 6.7 | \$1,000 | 0 | 0 | 0 | 0 |
| Lightning strike (no fire) | 12 | 30.8% | 0:07:11 | 50.0% | 0:53:03 | 2.2 | 7.8 | \$4,600 | 0 | 0 | 0 | 0 |
| Severe weather, other | 11 | 28.2% | 0:09:08 | 63.6% | 1:25:24 | 1.9 | 3.1 | \$0 | 0 | 0 | 0 | 0 |
| Flood assessment | 4 | 10.3% | 0:04:39 | 75.0% | 0:22:51 | 1.3 | 1.5 | \$9,000 | 0 | 0 | 0 | 0 |



Time, Month and Day (Including Mutual Aid Given)

Time

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|------------------|--------|-------|---------|---------|----------|-----------|-------|-------------|-----|-------|-----|-------|
| | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Midnight - 4a.m. | 5,478 | 9.1% | 0:06:53 | 47.3% | 0:41:16 | 1.7 | 3.6 | \$5,609,045 | 21 | 5 | 5 | 0 |
| 4 a.m 8 a.m. | 5,289 | 8.8% | 0:07:00 | 49.4% | 0:54:55 | 1.8 | 3.7 | \$7,989,947 | 6 | 7 | 8 | 0 |
| 8 a.m noon | 11,670 | 19.4% | 0:06:13 | 60.0% | 0:39:19 | 1.8 | 3.6 | \$4,665,114 | 12 | 5 | 6 | 0 |
| Noon - 4 p.m. | 13,702 | 22.8% | 0:06:26 | 57.6% | 0:44:41 | 1.8 | 3.6 | \$6,272,476 | 21 | 4 | 11 | 0 |
| 4 p.m 8 p.m. | 14,033 | 23.4% | 0:06:18 | 58.5% | 0:39:05 | 1.8 | 3.8 | \$7,163,792 | 15 | 2 | 10 | 0 |
| 8 p.m midnight | 9,846 | 16.4% | 0:06:19 | 58.1% | 0:34:33 | 1.8 | 3.8 | \$3,712,623 | 8 | 2 | 10 | 0 |

Month

| WOITER | | | | | | | | | | | | |
|-----------|-------|------|---------|---------|----------|-----------|-------|-------------|-----|-------|-----|-------|
| | | | Resp | | | | | | Civ | Civ | FS | FS |
| | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| January | 4,789 | 8.0% | 0:06:32 | 53.4% | 0:36:38 | 1.8 | 3.7 | \$3,591,999 | 16 | 3 | 6 | 0 |
| February | 4,141 | 6.9% | 0:06:14 | 57.7% | 0:32:48 | 1.8 | 3.6 | \$1,362,215 | 6 | 2 | 9 | 0 |
| March | 4,984 | 8.3% | 0:06:14 | 56.2% | 0:36:14 | 1.8 | 3.7 | \$3,502,280 | 4 | 1 | 4 | 0 |
| April | 4,859 | 8.1% | 0:06:08 | 58.0% | 0:33:51 | 1.8 | 3.6 | \$3,075,232 | 7 | 2 | 1 | 0 |
| May | 4,687 | 7.8% | 0:06:20 | 58.3% | 0:35:55 | 1.7 | 3.5 | \$1,974,850 | 13 | 2 | 5 | 0 |
| June | 5,169 | 8.6% | 0:06:24 | 57.5% | 0:43:28 | 1.8 | 3.7 | \$3,018,569 | 7 | 4 | 4 | 0 |
| July | 5,955 | 9.9% | 0:07:02 | 54.8% | 1:02:53 | 1.8 | 3.7 | \$3,203,727 | 4 | 0 | 3 | 0 |
| August | 5,692 | 9.5% | 0:06:48 | 55.0% | 1:00:54 | 1.8 | 3.6 | \$2,628,685 | 5 | 2 | 1 | 0 |
| September | 4,940 | 8.2% | 0:06:23 | 56.7% | 0:36:35 | 1.8 | 3.7 | \$2,306,315 | 7 | 3 | 4 | 0 |
| October | 5,171 | 8.6% | 0:06:13 | 58.6% | 0:35:30 | 1.8 | 3.6 | \$2,234,045 | 3 | 0 | 4 | 0 |
| November | 4,563 | 7.6% | 0:06:21 | 57.3% | 0:36:16 | 1.8 | 3.8 | \$5,994,470 | 6 | 0 | 6 | 0 |
| December | 5,068 | 8.4% | 0:06:21 | 57.6% | 0:34:45 | 1.8 | 3.8 | \$2,520,610 | 5 | 6 | 3 | 0 |

Day

| , | | | Resp | | | | | | Civ | Civ | FS | FS |
|-----------|-------|-------|---------|---------|----------|-----------|-------|--------------|-----|-------|-----|-------|
| | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Sunday | 7,781 | 13.0% | 0:06:29 | 57.7% | 0:45:03 | 1.8 | 3.7 | \$3,040,177 | 14 | 0 | 9 | 0 |
| Monday | 8,525 | 14.2% | 0:06:21 | 56.5% | 0:42:51 | 1.8 | 3.6 | \$3,118,558 | 12 | 7 | 4 | 0 |
| Tuesday | 8,567 | 14.3% | 0:06:14 | 57.6% | 0:44:29 | 1.8 | 3.7 | \$4,575,429 | 10 | 4 | 14 | 0 |
| Wednesday | 8,621 | 14.4% | 0:06:29 | 56.3% | 0:35:41 | 1.8 | 3.7 | \$10,098,244 | 10 | 3 | 7 | 0 |
| Thursday | 8,808 | 14.7% | 0:06:21 | 57.2% | 0:44:10 | 1.8 | 3.7 | \$3,033,610 | 9 | 3 | 5 | 0 |
| Friday | 9,198 | 15.3% | 0:06:19 | 57.0% | 0:39:04 | 1.8 | 3.6 | \$5,046,976 | 19 | 6 | 5 | 0 |
| Saturday | 8,518 | 14.2% | 0:06:50 | 54.7% | 0:37:57 | 1.8 | 3.6 | \$6,500,003 | 9 | 2 | 6 | 0 |



Firefighter Costs by Incident Type/Actions Taken*

| | | | | | Staff | App | | | Total | Total 2004 |
|--------------|--------|----------|----------|-----------|---------|---------|--------------|------------|----------|--------------|
| | # | Duration | Staffing | Apparatus | Hrs/Inc | Hrs/Inc | Staff \$/Inc | App \$/Inc | Cost/Inc | Costs |
| Fire | 6,329 | 1:55 | 5.9 | 2.8 | 11.3 | 5.4 | \$215 | \$547 | \$762 | \$4,824,333 |
| Explosion | 167 | 0:32 | 5.8 | 3.0 | 3.1 | 1.6 | \$59 | \$163 | \$222 | \$37,070 |
| EMS | 35,913 | 0:34 | 2.8 | 1.5 | 1.6 | 0.9 | \$30 | \$87 | \$117 | \$4,196,314 |
| Hazard | 3,457 | 0:49 | 4.1 | 1.8 | 3.3 | 1.5 | \$64 | \$150 | \$214 | \$738,271 |
| Service | 2,933 | 0:41 | 3.5 | 1.5 | 2.4 | 1.0 | \$46 | \$105 | \$150 | \$440,641 |
| Good Intent | 5,974 | 0:17 | 4.0 | 1.7 | 1.2 | 0.5 | \$22 | \$50 | \$73 | \$433,225 |
| False Alarms | 5,052 | 0:22 | 5.7 | 2.7 | 2.1 | 1.0 | \$41 | \$104 | \$145 | \$730,150 |
| Weather | 40 | 1:02 | 4.4 | 1.8 | 4.5 | 1.9 | \$86 | \$190 | \$276 | \$11,044 |
| Other | 153 | 0:55 | 2.5 | 1.6 | 2.3 | 1.5 | \$44 | \$150 | \$193 | \$29,551 |
| Grand Total | 60,018 | | 38.7 | 18.4 | | | | | | \$11,440,600 |

^{*}Personnel and apparatus costs are based on 2004 Fire Service Organization Rates supplied by the Idaho Department of Lands. The rates were \$19 per hour for staff and \$102 per hour for equipment.

Costs remain consistent from 2003 with an 8% increase in incidents and total costs. It is directly proportional to the number of incidents. EMS runs were 6 times more frequent than fire runs. Idaho's emergency services departments spent

close to \$11.5 million in 2004 to perform their services.

Resources needed for fighting fires still take the largest portion of a department's budget with an average cost per incident rate of \$762. EMS runs, which are 60% of the total, average at \$117 per incident. Even though the number of fires is decreasing, it is safe to say that a concerted effort on fire prevention education could save a department money.

Top Incident Types by Cost to Departments

- Fire \$4,824,333 (10.5% of total)
- EMS \$4,196,314 (59.8% of total)
- Hazardous Condition \$738,271 (5.8% of total)
- False Calls \$730,150 (8.4% of total)

The trend appears to be cost cutting by down-sizing the number of staff and apparatus that respond. The 2004 data support that on average, staff was cut by 5.3 persons and apparatus by 1.4 for all incident types.

Firefighter Primary Actions Taken

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|--|--------|--------|---------|----------|----------|-----------|-------|--------------|-----|-------|-----|-------|
| | # | % | Time | %<=6min. | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Provide basic life support (BLS) | 16,096 | 31.8% | 0:05:07 | 71.3% | 0:30:05 | 1.4 | 3.0 | \$186,000 | 0 | 0 | 6 | 0 |
| Investigate | 8,593 | 17.0% | 0:06:10 | 59.1% | 0:24:42 | 2.3 | 5.0 | \$1,075,372 | 3 | 1 | 2 | 0 |
| Emergency medical services, other | 5,396 | 10.7% | 0:06:51 | 57.4% | 0:38:00 | 1.5 | 2.7 | \$3,700 | 0 | 0 | 0 | 0 |
| Cancelled enroute | 4,570 | 9.0% | 0:06:06 | 24.8% | 0:11:17 | 1.4 | 3.4 | \$35,300 | 0 | 0 | 0 | 0 |
| Extinguish | 4,219 | 8.3% | 0:08:06 | 46.0% | 2:26:39 | 2.9 | 6.3 | \$30,008,639 | 45 | 7 | 31 | 0 |
| Provide first aid & check for injuries | 3,651 | 7.2% | 0:05:41 | 62.3% | 0:28:36 | 1.5 | 3.0 | \$159,200 | 2 | 0 | 1 | 0 |
| Provide advanced life support (ALS) | 3,261 | 6.5% | 0:07:11 | 51.6% | 0:44:01 | 2.0 | 2.4 | \$2,000 | 0 | 0 | 3 | 0 |
| Transport person | 1,968 | 3.9% | 0:10:05 | 39.2% | 1:05:06 | 1.6 | 1.1 | \$0 | 0 | 0 | 0 | 0 |
| (blank) | 1,721 | 3.4% | 0:05:13 | 67.9% | 0:27:25 | 1.5 | 3.2 | \$1,000 | 0 | 0 | 4 | 0 |
| Standby | 1,081 | 2.1% | 0:07:29 | 48.3% | 1:00:49 | 1.6 | 3.8 | \$19,720 | 0 | 0 | 0 | 0 |
| Total/Average | 50,556 | 100.0% | 0:06:15 | 57.6% | 0:40:45 | 1.7 | 3.5 | \$31,490,931 | 50 | 8 | 47 | 0 |

Rescue and Emergency Medical Services

There were over 35,000 incidents submitted and coded in the Rescue and EMS category. This is a 14% increase from 2003 data. This category represents 60% of the total incident count.

In this category 27,622 incidents were coded as EMS. Over 800 of these included detailed patient care information. There were 61 departments that submitted incident types in this category. The majority (94.5%) came from the Boise Fire Department.

By Frequency:

Who: Females - 53%

Causes: Falls

Motor vehicle accidents Physical assault/abuse

Drug poisoning


Location: Family home
DOW: Sunday and Friday
Month: July and August
Times: 6 minute response

34 minutes duration


Between 4 p.m. and 6 p.m.

Age: 30% greater than 70


Property Type




Disposition



Calls by Cause



Provider Assessment



Firefighter Injuries and Fatalities

For the 5,000 firefighters involved in over 60,000 incidents during 2004, only 48 injuries were documented. There were no firefighter deaths during that time.


The following statistics reflect injuries while engaged in activities as fire department personnel at the time of the incident. Statistics do not include federal or state wildland fire casualties.

Fires are the single most hazardous activity (65.4%) that a firefighter performs, although it is only (10.5%) of their activity. However, EMS injuries are up to (30.6%). This falls in line since (60%) of their activity is providing EMS.




Firefighters need to keep in top physical shape for the tasks they perform. The picture demonstrates an exercise performed at a new training facility in Nampa, Idaho. (Photo by Richard Hahn)


Volunteer vs. Career



Incident Type




Firefighter Incidents and Injuries by Time of Day




Firefighter Injuries

Injuries by Age

Primary Symptoms



Severity of Injuries




Fire departments are encouraged to document a health exposure to toxic substances or harmful physical agents that the person may encounter during the incident. They can be reported regardless of the presence of clinical signs and symptoms. They are treated as **report only** in the severity category.

Activity at Time of Injury

- · Being struck or assaulted
- Handling charged hoses
- Providing EMS care
- · Smokey conditions
- · Wall collapse

Cause of Injuries



Fires

All Fires by Property Type

(No Mutual Aid Given)



Residential - 1,567

(single-family dwellings, apartments, mobile homes, hotels, motels, etc.)



Public and Mercantile - 284

(stores, restaurants, institutions, churches, public facilities, education, offices, etc.)



Industrial and Other Buildings - 470

(basic industry, manufacturing, residential garage, storage, vacant, under construction, unknown)



Outside and Other - 2,941

(dumpster, trash, wildland, grass, trees, etc.)

Fires by Property Type

| | | | Deen | | | | | | Civ | Civ | FS | FS |
|--------------------------------|-------|--------|---------|----------|---------|-----------|-----|--------------|-----|-------|-----|-------|
| | | | Resp | | | | | | Civ | | го | |
| | # | % | Time | Duration | Staff | Apparatus | Per | \$Loss | lnj | Fatal | lnj | Fatal |
| Outside and Other | 2,941 | 55.9% | 0:08:20 | 45.9% | 2:36:57 | 2.4 | 5.3 | \$2,024,601 | 7 | 0 | 3 | 0 |
| Residential | 1,567 | 29.8% | 0:06:38 | 54.0% | 1:14:52 | 3.7 | 7.9 | \$20,622,908 | 51 | 10 | 17 | 0 |
| Industrial and Other Buildings | 470 | 8.9% | 0:08:15 | 38.5% | 1:37:09 | 3.4 | 7.6 | \$5,607,237 | 5 | 0 | 4 | 0 |
| Public and Mercantile | 284 | 5.4% | 0:04:34 | 76.8% | 1:02:47 | 2.9 | 6.1 | \$3,252,545 | 1 | 0 | 7 | 0 |
| Total/Average | 5,262 | 100.0% | 0:07:37 | 49.3% | 2:02:04 | 2.9 | 6.3 | \$31,507,291 | 64 | 10 | 31 | 0 |

All Fires by Ignition (Top 5)

Cause of Ignition

The "Cause of Ignition" is the result of a heat source igniting a combustible material. It could be the result of a deliberate act, mechanical failure, or an act of nature. "Intentional" is the deliberate misuse of heat source or fires of an incendiary nature. "Unintentional" is accidental or careless or reckless acts.

| | | | | Resp | | | | | Civ | Civ | FS | FS |
|----------------------|-------------------|-------|-------|---------|----------|-----------|-------|--------------|-----|-------|-----|-------|
| | | Fires | % | Time | Duration | Apparatus | Staff | \$Loss | Inj | Fatal | lnj | Fatal |
| (blank) | All Other Causes | 1,998 | 42.0% | 0:07:47 | 3:18:40 | 2.5 | 5.3 | \$295,664 | 4 | 0 | 0 | 0 |
| | Exposure | 4 | 0.1% | 0:05:12 | 2:47:27 | 5.5 | 11.5 | \$2,050 | 0 | 0 | 0 | 0 |
| | Smoking | 2 | 0.0% | 0:09:00 | 0:53:00 | 2.5 | 4.0 | \$0 | 0 | 0 | 0 | 0 |
| Unintentional | All Other Causes | 1,051 | 22.1% | 0:07:15 | 1:11:25 | 3.2 | 7.7 | \$13,035,203 | 15 | 3 | 11 | 0 |
| | Smoking | 99 | 2.1% | 0:07:10 | 1:02:43 | 3.8 | 6.8 | \$392,100 | 11 | 2 | 2 | 0 |
| | Playing with Heat | 38 | 0.8% | 0:05:53 | 0:50:56 | 3.7 | 8.2 | \$162,150 | 1 | 0 | 0 | 0 |
| | Cooking | 23 | 0.5% | 0:05:24 | 1:05:22 | 3.8 | 10.9 | \$407,250 | 5 | 0 | 0 | 0 |
| | Fireworks | 21 | 0.4% | 0:05:28 | 0:27:46 | 2.6 | 9.3 | \$4,500 | 0 | 0 | 0 | 0 |
| Cause undetermined | All Other Causes | 634 | 13.3% | 0:08:09 | 0:59:06 | 2.7 | 5.8 | \$4,073,726 | 7 | 0 | 2 | 0 |
| after investigation | Fireworks | 4 | 0.1% | 0:03:05 | 0:08:47 | 1.5 | 4.3 | \$0 | 0 | 0 | 0 | 0 |
| | Smoking | 2 | 0.0% | 0:04:30 | 0:59:30 | 4.0 | 13.5 | \$0 | 0 | 0 | 0 | 0 |
| | Electrical | 1 | 0.0% | 0:03:00 | 0:52:00 | 5.0 | 12.0 | \$0 | 0 | 0 | 0 | 0 |
| Failure of equipment | All Other Causes | 471 | 9.9% | 0:06:46 | 0:58:57 | 2.8 | 6.1 | \$3,546,230 | 2 | 0 | 3 | 0 |
| | Electrical | 14 | 0.3% | 0:06:40 | 1:55:09 | 4.2 | 12.4 | \$189,998 | 1 | 0 | 6 | 0 |
| | Heating | 13 | 0.3% | 0:08:15 | 1:07:07 | 3.5 | 9.3 | \$10,600 | 0 | 0 | 0 | 0 |
| | Appliances | 8 | 0.2% | 0:08:18 | 3:35:14 | 4.9 | 14.3 | \$480,300 | 0 | 0 | 0 | 0 |
| | Cooking | 6 | 0.1% | 0:03:38 | 0:38:28 | 3.5 | 12.7 | \$32,918 | 0 | 0 | 0 | 0 |
| Intentional | | 370 | 7.8% | 0:07:47 | 56:29 | 2.6 | 5.3 | \$629,766 | 7 | 1 | 0 | 0 |

Heat Source

The "Heat Source" is what ignited the "Item First Ignited" to cause the fire.

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|------------------------------------|-------|-------|---------|----------|----------|-----------|-------|--------------|-----|-------|-----|-------|
| | Fires | % | Time | %<=6min. | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| (blank) | 1,999 | 49.5% | 0:07:47 | 53.4% | 3:18:33 | 2.5 | 5.3 | \$299,214 | 4 | 0 | 0 | 0 |
| Undetermined | 1,079 | 26.7% | 0:07:45 | 46.4% | 1:24:10 | 3.2 | 6.9 | \$12,752,027 | 16 | 3 | 11 | 0 |
| Heat from powered equipment, other | 275 | 6.8% | 0:07:15 | 54.9% | 1:04:40 | 3.0 | 6.9 | \$3,118,986 | 6 | 1 | 2 | 0 |
| Arcing | 233 | 5.8% | 0:06:29 | 50.2% | 1:08:38 | 2.9 | 7.3 | \$1,364,594 | 6 | 2 | 6 | 0 |
| Hot ember or ash | 230 | 5.7% | 0:07:47 | 43.9% | 1:10:13 | 3.0 | 6.6 | \$833,260 | 0 | 0 | 1 | 0 |

Item First Ignited

The "Item First Ignited" by the "Heat Source."

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|------------------------------------|-------|-------|---------|----------|----------|-----------|-------|--------------|-----|-------|-----|-------|
| | Fires | % | Time | %<=6min. | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| (blank) | 1,998 | 48.5% | 0:07:48 | 53.3% | 3:18:40 | 2.5 | 5.3 | \$297,714 | 4 | 0 | 0 | 0 |
| Undetermined | 867 | 21.0% | 0:07:57 | 47.4% | 1:26:37 | 3.2 | 6.7 | \$10,522,123 | 16 | 3 | 8 | 0 |
| Light vegetation - not crop, grass | 709 | 17.2% | 0:08:17 | 37.2% | 0:53:03 | 2.8 | 6.3 | \$426,086 | 1 | 0 | 1 | 0 |
| Item First Ignited, other | 187 | 4.5% | 0:07:15 | 52.4% | 1:01:29 | 3.0 | 4.5 | \$779,157 | 2 | 0 | 1 | 0 |
| Electrical wire, cable insulation | 185 | 4.5% | 0:06:05 | 58.4% | 0:48:48 | 2.5 | 6.4 | \$693,818 | 0 | 0 | 8 | 0 |

Fires

Intentionally Set Fires - 370

Intentionally set fires were 8% of all fires. Over half were natural vegetation fires set in open areas (57%). Structure fires were the next most frequent at 15% of the total. Most devastating was the dollar loss figure of \$532,816 with 5 injuries and 1 fatality in structures. The fatality was a suicide.

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|-----------------|-----|-------|---------|---------|----------|-----------|-------|-----------|-----|-------|-----|-------|
| Incident Type | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Natural Veg | 210 | 56.8% | 0:08:26 | 34.3% | 0:48:51 | 2.5 | 4.7 | \$11,900 | 1 | 0 | 0 | 0 |
| Structure | 55 | 14.9% | 0:06:56 | 52.7% | 1:40:20 | 3.5 | 8.5 | \$532,316 | 5 | 1 | 0 | 0 |
| Special Outside | 38 | 10.3% | 0:05:47 | 60.5% | 0:41:39 | 2.1 | 4.5 | \$42,000 | 0 | 0 | 0 | 0 |
| Outside Rubbish | 28 | 7.6% | 0:07:07 | 46.4% | 0:42:56 | 1.7 | 4.0 | \$5,800 | 0 | 0 | 0 | 0 |
| Vehicle | 17 | 4.6% | 0:08:40 | 29.4% | 0:55:40 | 2.5 | 6.1 | \$26,550 | 0 | 0 | 0 | 0 |
| Other | 9 | 2.4% | 0:06:19 | 66.7% | 0:41:58 | 3.1 | 5.8 | \$2,800 | 0 | 0 | 0 | 0 |
| Crop | 7 | 1.9% | 0:08:26 | 14.3% | 1:34:34 | 3.6 | 8.3 | \$5,890 | 0 | 0 | 0 | 0 |
| Fixed Mobile | 6 | 1.6% | 0:06:50 | 83.3% | 0:58:00 | 2.8 | 6.3 | \$2,510 | 1 | 0 | 0 | 0 |

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|--------------------|-----|-------|---------|---------|----------|-----------|-------|-----------|-----|-------|-----|-------|
| Property Type | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | Inj | Fatal |
| Outside/Special | 247 | 66.8% | 0:07:57 | 38.5% | 0:47:54 | 2.6 | 5.0 | \$40,491 | 0 | 0 | 0 | 0 |
| Residential | 64 | 17.3% | 0:07:40 | 43.8% | 1:01:46 | 2.7 | 6.5 | \$357,400 | 5 | 1 | 0 | 0 |
| Storage | 13 | 3.5% | 0:07:49 | 53.8% | 1:32:32 | 3.2 | 7.1 | \$67,865 | 1 | 0 | 0 | 0 |
| Industrial | 13 | 3.5% | 0:09:56 | 23.1% | 1:44:21 | 2.2 | 4.5 | \$37,400 | 0 | 0 | 0 | 0 |
| Business | 10 | 2.7% | 0:06:36 | 80.0% | 2:00:28 | 3.0 | 5.9 | \$100,800 | 0 | 0 | 0 | 0 |
| Blank | 7 | 1.9% | 0:05:10 | 57.1% | 0:45:48 | 2.7 | 4.3 | \$4,500 | 0 | 0 | 0 | 0 |
| Education | 7 | 1.9% | 0:06:43 | 42.9% | 1:08:51 | 2.6 | 6.7 | \$3,110 | 0 | 0 | 0 | 0 |
| Manufacturing | 4 | 1.1% | 0:06:30 | 50.0% | 1:02:30 | 2.5 | 4.3 | \$5,500 | 1 | 0 | 0 | 0 |
| Assembly | 3 | 0.8% | 0:01:57 | 100.0% | 1:10:12 | 2.0 | 4.0 | \$10,200 | 0 | 0 | 0 | 0 |
| Health, Correction | 2 | 0.5% | 0:06:08 | 50.0% | 0:41:55 | 3.0 | 7.5 | \$2,500 | 0 | 0 | 0 | 0 |

By Order of Frequency:

DOW: Saturday Month: April

Casualty: 1 death, 7 injuries Time: Between 4 and 7 p.m.

Area of Origin: Open Area

Counties: Bonneville, Payette, Jerome, Ada

Heat Source: Match

Item First Ignited: Natural vegetation

\$ Loss: \$629,766

Human Factors: Unattended or unsupervised persons

Ages: Between 11 and 13 years old



Every day one fire is intentionally set.



Juvenile Firesetters




For definition we have used ages 17 and under for juvenile firesetters statistics. The 5-11 year olds were involved most in fires.

Juvenile set fires appear to be declining. Nearby states of Alaska and Oregon see a decline as well. This may be attributed to a federal law that required childproofing lighters and increased public awareness from fire prevention education.


Profile of Juvenile Firesetter

| Year | Ave Age | Heat Source | Primary Ign Factor | Property Type | Area Origin | Month | Hour | \$loss | Injuries | Fatalities |
|------|---------|-----------------|-----------------------|---------------|-------------|-------|--------|-----------|----------|------------|
| 2000 | 9.4 | Cig Lighter | Playing w/heat source | Family Home | Outside | July | 4 p.m. | \$511,900 | 8 | 0 |
| 2001 | 9.6 | Cig Lighter | Playing w/heat source | Family Home | Outside | July | 4 p.m. | \$317,451 | 4 | 0 |
| 2002 | 10 | Match | Playing w/heat source | Family Home | Outside | July | 4 p.m. | \$215,515 | 2 | 0 |
| 2003 | 10 | Fireworks | Playing w/heat source | Family Home | Outside | July | 4 p.m. | \$491,650 | 4 | 1 |
| 2004 | 11.6 | Matches/Lighter | Playing w/heat source | Family Home | Outside | July | 8 p.m. | \$33,827 | 3 | 0 |

Juvenile Firesetters by Age and Year



Juvenile Set Fires by Area



Fire in Idaho 2004

Fires

Wildland Fires

The Wildland Fire Module may include any fire involving vegetative fuels such as a prescribed fire that occurs in the wildland or urban-wildland interface areas. Nearly 500 incidents were reported in this category. The number of incidents in the urban/wildland interface increased 33%. This increase is reflective of the growing rural population base in Idaho.






Photo by Kari K. Brown

| | | | Resp | | | | | | | Total |
|-------------------------|-----|--------|---------|---------|----------|-----------|-------|----------|---------|-------|
| Fire Cause | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | # Bldgs | Acres |
| Undetermined | 122 | 25.1% | 0:07:21 | 52.5% | 1:03:33 | 3.3 | 5.8 | \$11,195 | 1 | 175 |
| Natural source | 93 | 19.1% | 0:33:45 | 29.0% | 58:28:02 | 0.9 | 1.5 | \$550 | 0 | 103 |
| Debris, vegetation burn | 76 | 15.6% | 0:07:58 | 52.6% | 0:54:44 | 3.1 | 4.9 | \$16,680 | 5 | 63 |
| Incendiary | 41 | 8.4% | 0:04:36 | 61.0% | 1:08:07 | 3.6 | 6.0 | \$225 | 0 | 103 |
| Open/outdoor fire | 39 | 8.0% | 0:08:13 | 43.6% | 1:09:19 | 2.6 | 5.5 | \$20 | 0 | 100 |
| Misuse of fire | 38 | 7.8% | 0:07:01 | 52.6% | 0:56:38 | 3.2 | 5.8 | \$350 | 0 | 32 |
| Equipment | 37 | 7.6% | 0:07:28 | 40.5% | 1:02:54 | 3.9 | 5.8 | \$150 | 0 | 454 |
| Other cause | 22 | 4.5% | 0:06:24 | 63.6% | 0:24:26 | 3.0 | 4.8 | \$625 | 0 | 37 |
| Smoking | 17 | 3.5% | 0:07:27 | 64.7% | 0:32:22 | 2.8 | 5.1 | \$270 | 0 | 11 |
| Structure (exposure) | 2 | 0.4% | 0:10:30 | 0.0% | 3:43:00 | 4.5 | 20.0 | \$0 | 0 | 25 |
| Total/Average | 487 | 100.0% | 0:11:28 | 47.8% | 11:47:51 | 2.8 | 4.8 | \$30,065 | 6 | 1,102 |

| | | | Resp | | | | | | | Total |
|-----------------------|----|--------|---------|---------|----------|-----------|-------|---------|---------|-------|
| Activity | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | # Bldgs | Acres |
| Human activity, other | 5 | 38.5% | 0:04:32 | 80.0% | 1:10:59 | 3.0 | 5.4 | \$105 | 0 | 12 |
| Management activities | 3 | 23.1% | 0:12:00 | 0.0% | 1:47:40 | 2.7 | 3.7 | \$2,050 | 0 | 4 |
| Social gathering | 1 | 7.7% | 0:03:00 | 100.0% | 0:19:00 | 3.0 | 7.0 | \$0 | 0 | 0 |
| Fishing | 1 | 7.7% | 0:07:00 | 0.0% | 4:28:00 | 6.0 | 11.0 | \$0 | 0 | 2 |
| Camping | 1 | 7.7% | 0:11:00 | 0.0% | 0:39:00 | 4.0 | 8.0 | \$0 | 0 | 1 |
| Fireworks use | 1 | 7.7% | 0:06:00 | 0.0% | 0:31:00 | 2.0 | 5.0 | \$0 | 0 | 0 |
| Picnicking | 1 | 7.7% | 0:32:00 | 0.0% | 2:29:00 | 4.0 | 10.0 | \$0 | 0 | 1 |
| Total/Average | 13 | 100.0% | 0:09:03 | 38.5% | 1:31:04 | 3.2 | 6.1 | \$2,155 | 0 | 19 |

| | | | Resp | | | | | | Total | Total |
|-----------------------------|---|-------|---------|---------|----------|-----------|-------|--------|-------|-------|
| Top 5 Heat Source | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | Bldgs | Acres |
| Match | 5 | 41.7% | 0:06:56 | 40.0% | 2:02:23 | 3.4 | 6.2 | \$130 | 0 | 4 |
| Hot ember or ash | 2 | 16.7% | 0:04:00 | 100.0% | 0:18:30 | 3.0 | 7.0 | \$25 | 0 | 0 |
| Heat source, other | 1 | 8.3% | 0:11:00 | 0.0% | 2:03:00 | 1.0 | 7.0 | \$0 | 0 | 1 |
| Explosive, fireworks, other | 1 | 8.3% | 0:06:00 | 0.0% | 0:31:00 | 2.0 | 5.0 | \$0 | 0 | 0 |
| Cigarette lighter | 1 | 8.3% | 0:04:00 | 100.0% | 0:46:00 | 2.0 | 4.0 | \$0 | 0 | 1 |

| | | | Resp | | | | | | | Total |
|----------------------------|-----|--------|---------|---------|----------|-----------|-------|----------|---------|-------|
| Area Type | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | # Bldgs | Acres |
| Rural, farms over 50 acres | 171 | 36.6% | 0:21:57 | 25.1% | 32:01:31 | 1.9 | 3.5 | \$2,790 | 0 | 698 |
| Rural/urban | 135 | 28.9% | 0:06:20 | 56.3% | 0:51:33 | 2.9 | 4.6 | \$15,655 | 5 | 72 |
| Urban/wildland interface | 79 | 16.9% | 0:07:36 | 44.3% | 1:33:42 | 3.8 | 6.2 | \$500 | 1 | 248 |
| Urban, heavily populated | 82 | 17.6% | 0:04:17 | 89.0% | 0:28:34 | 3.3 | 6.4 | \$5,395 | 0 | 29 |
| Total/Average | 467 | 100.0% | 0:11:31 | 48.6% | 12:15:40 | 2.8 | 4.8 | \$24,340 | 6 | 1,047 |




Photo by Richard Hahn

Mobile Property Fires

Vehicle Fires - 916
Estimates Losses - \$2,632,985
Injuries - 4
Fatalities - 0

National research and statistics indicate a very substantial number of vehicle fires were due to persons making faulty or amateur repairs. Many were improperly reconnecting lines carrying ignitable fluids. Others were due to leaving wire bundles or combustible hoses close to heat producing parts. Since a large number of fires are undetermined, many of these could be intentionally set.

Primary Ignition Factor



Top Five

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|-------------------------|-------|-------|---------|----------|----------|-----------|-------|-------------|-----|-------|-----|-------|
| Area Origin | Fires | % | Time | %<=6 min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Engine area | 613 | 66.9% | 0:06:26 | 58.6% | 0:41:07 | 2.1 | 5.0 | \$1,490,305 | 2 | 0 | 1 | 0 |
| Operator/passenger area | 62 | 6.8% | 0:05:50 | 58.1% | 0:54:32 | 2.3 | 5.9 | \$201,350 | 0 | 0 | 0 | 0 |
| Undetermined | 54 | 5.9% | 0:10:15 | 37.0% | 1:08:05 | 2.9 | 6.2 | \$314,800 | 0 | 0 | 0 | 0 |
| Vehicle area, other | 39 | 4.3% | 0:07:05 | 56.4% | 0:57:08 | 2.6 | 4.8 | \$281,050 | 0 | 0 | 0 | 0 |
| Fuel tank, fuel line | 33 | 3.6% | 0:06:22 | 51.5% | 0:54:58 | 3.0 | 9.9 | \$34,645 | 0 | 0 | 1 | 0 |

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|------------------------------|-------|-------|---------|---------|----------|-----------|-------|-----------|-----|-------|-----|-------|
| Ignition Causes | Fires | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Unintentional | 319 | 35.6% | 0:06:30 | 54.5% | 0:47:54 | 2.2 | 5.9 | \$519,920 | 1 | 0 | 2 | 0 |
| Failure of equip/heat source | 285 | 31.8% | 0:06:24 | 60.4% | 0:40:02 | 2.2 | 4.8 | \$928,190 | 0 | 0 | 0 | 0 |
| Cause undetermined | 196 | 21.9% | 0:07:15 | 54.6% | 0:41:01 | 2.1 | 4.8 | \$514,575 | 0 | 0 | 0 | 0 |
| Cause under investigation | 52 | 5.8% | 0:07:14 | 51.9% | 1:28:38 | 3.6 | 6.6 | \$355,250 | 1 | 0 | 0 | 0 |
| Cause, other | 43 | 4.8% | 0:06:29 | 51.2% | 1:35:09 | 4.0 | 7.2 | \$288,000 | 0 | 0 | 0 | 0 |


Civilian Injuries and Fatalities

The main known causes for deaths and injuries were cigarettes, electricity, and equipment (heating). The family home has more fire injuries and deaths than any other property type. All fatalities occurred at home, and most deaths and injuries occurred in a bedroom. Activity when an injury happened was (1) unknown, (2) fire control, (3) rescue attempt, and (4) escaping. The primary symptom was smoke inhalation.



9 Deaths64 Injuries


Children Fire Casualties



During 1997, there were 2 devastating fires that claimed 8 children. The graph shows that children in Idaho are still at risk as there are more injuries but fewer deaths. A contributing factor may be that smoke detectors do alert occupants to evacuate.

Deaths and Injuries by Age


Elderly are most at risk of dying in fires.




Civilian Injuries and Fatalities

Injury/Death by Heat Source






Injury/Death by Area




Injury/Death by Property Type



Structures/Residential

Structure Loss (By Property Type)

Residential Structure Loss by Year



Large Loss Fires over \$500,000

\$4,000,000 – McCall (multi-family under construction)

\$1,600,000 – Sun Valley (multi-family, 8-plex)

\$700,000 – Idaho Falls, (mercantile, business)

\$586,000 – Buhl (residential)

\$525,000 - Buhl (residential)

\$500,000 – Burley (grain elevator)

\$500,000 – Caldwell (manufacturing, processing)

\$550,000 – Bonners Ferry (manufacturing, processing)

| | | | Resp | | | | | | Civ | Civ | FS | FS | Total | Total |
|-----------------------|-------|-------|---------|---------|----------|-----------|-------|--------------|-----|-------|-----|-------|-------------|-------|
| Property Type | # | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | Inj | Fatal | lnj | Fatal | Residential | Bldgs |
| Residential | 1,126 | 72.6% | 0:06:38 | 55.4% | 1:27:55 | 4.2 | 8.9 | \$20,408,678 | 50 | 10 | 16 | 0 | 2,838 | 595 |
| Storage | 140 | 9.0% | 0:08:20 | 41.4% | 1:45:53 | 4.3 | 10.1 | \$2,243,865 | 3 | 0 | 3 | 0 | 12 | 126 |
| Outside/Special | 77 | 5.0% | 0:06:09 | 53.2% | 0:42:49 | 2.7 | 5.6 | \$185,248 | 0 | 0 | 1 | 0 | 3 | 24 |
| Business | 58 | 3.7% | 0:05:18 | 70.7% | 2:27:47 | 4.3 | 8.3 | \$2,639,063 | 0 | 0 | 6 | 0 | 4 | 36 |
| Manufacturing | 44 | 2.8% | 0:06:12 | 54.5% | 2:21:45 | 4.5 | 9.6 | \$2,236,070 | 2 | 0 | 0 | 0 | 0 | 26 |
| Assembly | 38 | 2.5% | 0:03:42 | 86.8% | 1:00:11 | 4.1 | 8.2 | \$429,995 | 0 | 0 | 0 | 0 | 0 | 19 |
| Education | 22 | 1.4% | 0:04:18 | 72.7% | 0:50:14 | 3.6 | 6.5 | \$78,610 | 1 | 0 | 1 | 0 | 3 | 7 |
| Health Care/Detention | 16 | 1.0% | 0:04:39 | 81.3% | 1:34:03 | 4.4 | 10.9 | \$391,462 | 0 | 0 | 0 | 0 | 205 | 8 |
| Blank | 15 | 1.0% | 0:06:17 | 46.7% | 0:53:49 | 2.3 | 3.9 | \$12,325 | 0 | 0 | 0 | 0 | 4 | 4 |
| Industrial | 14 | 0.9% | 0:08:27 | 35.7% | 2:23:49 | 3.0 | 7.6 | \$418,000 | 0 | 0 | 1 | 0 | 0 | 6 |


Automatic Extinguishing Systems (AES)

Only 4% of the buildings that had fires had an AES installed. Most were manufacturing properties. There were 42% that operated and 42% that were not in the area of the fire. The only one that did not activate was when there was manual intervention that defeated the system.


Did you know...

there were no AES in any of the large dollar loss fires?

AES Present



AES by Property Type



Fire Causes by Property Type (Top 5)

Public Assembly Property

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|--------------------------|-------|-------|---------|---------|----------|-----------|-------|-----------|-----|-------|-----|-------|
| | Fires | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | Inj | Fatal | lnj | Fatal |
| Undetermined | 7 | 30.4% | 0:03:14 | 100.0% | 1:50:40 | 4.9 | 8.7 | \$316,895 | 0 | 0 | 0 | 0 |
| Powered equipment, other | 4 | 17.4% | 0:03:33 | 100.0% | 0:52:47 | 5.0 | 12.0 | \$7,500 | 0 | 0 | 0 | 0 |
| Operating equipment | 3 | 13.0% | 0:05:19 | 66.7% | 1:55:06 | 7.0 | 19.3 | \$91,500 | 0 | 0 | 0 | 0 |
| Arcing | 2 | 8.7% | 0:04:55 | 50.0% | 1:04:10 | 6.0 | 3.5 | \$1,000 | 0 | 0 | 0 | 0 |
| Fireworks | 1 | 4.3% | 0:01:50 | 100.0% | 1:11:09 | 1.0 | 3.0 | \$0 | 0 | 0 | 0 | 0 |

Educational Property

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|---------------------------------|-------|-------|---------|---------|----------|-----------|-------|----------|-----|-------|-----|-------|
| | Fires | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | Inj | Fatal | lnj | Fatal |
| Undetermined | 5 | 35.7% | 0:04:36 | 80.0% | 1:08:12 | 3.8 | 7.0 | \$2,160 | 0 | 0 | 0 | 0 |
| Spark operating equipment | 2 | 14.3% | 0:02:00 | 100.0% | 0:28:00 | 4.5 | 18.0 | \$400 | 0 | 0 | 0 | 0 |
| Hot or smoldering object, other | 2 | 14.3% | 0:07:30 | 50.0% | 1:19:00 | 3.0 | 0.0 | \$70,000 | 0 | 0 | 1 | 0 |
| Candle | 1 | 7.1% | 0:07:00 | 0.0% | 0:18:00 | 1.0 | 3.0 | \$1,000 | 1 | 0 | 0 | 0 |
| Hot ember or ash | 1 | 7.1% | 0:04:00 | 100.0% | 0:38:00 | 1.0 | 0.0 | \$5,000 | 0 | 0 | 0 | 0 |

Business/Mercantile Property

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|---------------------------------|-------|-------|---------|---------|----------|-----------|-------|-------------|-----|-------|-----|-------|
| | Fires | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Undetermined | 10 | 27.0% | 0:05:06 | 60.0% | 3:26:47 | 5.2 | 9.9 | \$1,430,500 | 0 | 0 | 0 | 0 |
| Powered equipment, other | 8 | 21.6% | 0:05:16 | 62.5% | 4:17:01 | 5.4 | 11.4 | \$527,650 | 0 | 0 | 0 | 0 |
| Arcing | 7 | 18.9% | 0:03:28 | 100.0% | 1:52:04 | 4.3 | 8.6 | \$188,913 | 0 | 0 | 6 | 0 |
| Hot or smoldering object, other | 4 | 10.8% | 0:09:06 | 75.0% | 3:06:02 | 5.5 | 10.5 | \$107,300 | 0 | 0 | 0 | 0 |
| Operating equipment | 4 | 10.8% | 0:05:55 | 25.0% | 1:26:06 | 4.3 | 8.5 | \$27,500 | 0 | 0 | 0 | 0 |

Industrial/Manufacturing Property

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|----------------------------|-------|-------|---------|---------|----------|-----------|-------|-----------|-----|-------|-----|-------|
| | Fires | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Undetermined | 7 | 24.1% | 0:06:39 | 71.4% | 4:45:08 | 5.0 | 12.4 | \$711,000 | 0 | 0 | 0 | 0 |
| Spark, operating equipment | 5 | 17.2% | 0:09:24 | 40.0% | 2:21:24 | 5.2 | 12.2 | \$589,800 | 0 | 0 | 0 | 0 |
| Powered equipment, other | 5 | 17.2% | 0:06:36 | 80.0% | 2:35:12 | 4.2 | 13.0 | \$301,000 | 0 | 0 | 1 | 0 |
| Arcing | 4 | 13.8% | 0:09:00 | 0.0% | 0:38:15 | 1.5 | 4.8 | \$700 | 0 | 0 | 0 | 0 |
| Operating equipment | 4 | 13.8% | 0:12:00 | 0.0% | 2:17:15 | 5.0 | 2.3 | \$38,050 | 1 | 0 | 0 | 0 |

Storage Property

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|---------------------------------|-------|-------|---------|---------|----------|-----------|-------|-----------|-----|-------|-----|-------|
| | Fires | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Undetermined | 33 | 32.4% | 0:08:57 | 45.5% | 2:04:50 | 4.7 | 10.4 | \$991,165 | 2 | 0 | 3 | 0 |
| Hot ember or ash | 26 | 25.5% | 0:07:31 | 38.5% | 1:26:24 | 3.6 | 9.5 | \$253,200 | 0 | 0 | 0 | 0 |
| Hot or smoldering object, other | 10 | 9.8% | 0:06:59 | 60.0% | 1:34:14 | 4.3 | 9.9 | \$102,550 | 0 | 0 | 0 | 0 |
| Open flame, smoking | 9 | 8.8% | 0:09:57 | 33.3% | 1:25:28 | 4.9 | 9.8 | \$33,900 | 0 | 0 | 0 | 0 |
| Arcing | 6 | 5.9% | 0:09:08 | 33.3% | 2:44:22 | 5.5 | 11.3 | \$90,000 | 1 | 0 | 0 | 0 |

Outside/Other Property

| | | | Resp | | | | | | Civ | Civ | FS | FS |
|---------------------------------|-------|-------|---------|---------|----------|-----------|-------|----------|-----|-------|-----|-------|
| | Fires | % | Time | %<=6min | Duration | Apparatus | Staff | \$Loss | lnj | Fatal | lnj | Fatal |
| Undetermined | 21 | 51.2% | 0:07:19 | 38.1% | 0:53:38 | 2.7 | 5.4 | \$78,071 | 0 | 0 | 1 | 0 |
| Hot ember or ash | 6 | 14.6% | 0:06:50 | 50.0% | 0:52:58 | 2.7 | 6.8 | \$17,500 | 0 | 0 | 0 | 0 |
| Match | 4 | 9.8% | 0:04:15 | 100.0% | 1:03:30 | 3.5 | 2.5 | \$77,100 | 0 | 0 | 0 | 0 |
| Hot or smoldering object, other | 4 | 9.8% | 0:07:39 | 25.0% | 0:46:37 | 2.8 | 7.5 | \$0 | 0 | 0 | 0 | 0 |
| Chemical reaction | 2 | 4.9% | 0:06:20 | 50.0% | 0:42:51 | 1.0 | 1.5 | \$700 | 0 | 0 | 0 | 0 |

Residential


Most Deadly!

Residential Structure Fires - 1,126 Estimated Losses - \$20,408,678 Injuries - 50 Civilians, 16 Fire Service Deaths - 9 Civilians



Photo by Filer Fire Department

Top 5 Residential Fire Causes




It Pays to Keep the Lid on!



Forty-one percent of the residential fires never escaped the non-combustible container.

These include cooking, chimney, trash, and heating fires. There were no fatalities and only one injury with a total dollar loss of \$19,050. There were 592 residential units involved in these types of incidents. In only a quarter of the incidents were the occupants alerted by the detector.

Residential Fires by Time of Day



Are Mobile/Manufactured Homes Safer Today?

| Year | # | % | \$Loss | Average | Civ Fatal | Civ Inj | FS Inj |
|------|-----|-------|-----------|---------|--------------|------------|-----------|
| 1996 | 92 | 16.0% | \$716,020 | \$7,783 | 3 | 1 | 1 |
| 1997 | 101 | 17.6% | \$16,624 | \$165 | 6 | 7 | 4 |
| 1998 | 115 | 17.4% | \$23,831 | \$207 | 1 | 12 | 0 |
| 1999 | 45 | 8.2% | \$331,101 | \$7,358 | 4 | 6 | 1 |
| 2000 | 68 | 12.4% | \$670,681 | \$9,863 | 2 | 7 | 0 |
| 2001 | 83 | 16.0% | \$574,045 | \$6,916 | 1 | 2 | 0 |
| 2002 | 58 | 12.4% | \$496,651 | \$8,563 | 1 | 5 | 0 |
| 2003 | 93 | 12.4% | \$815,360 | \$8,767 | 1 | 9 | 1 |
| 2004 | 50 | 6.8% | \$532,400 | \$1,043 | 0 | 4 | 0 |

Since 2003 the ratio of injuries to the number of mobile home fires has decreased from 10.7 per 10,000 population to 8 per 10,000. In mobile home fires only 8% of the occupants were alerted by a detector. It appears additional or continued fire prevention education is in order. But, mobile/manufactured homes are safer today than they were 9 years ago.

Most Frequent Areas of Origin for Residential Structure Fires

Top Five Causes by Area

Cooking Area Stoves, appliances, undetermined


Bedroom Undetermined, candle, cigarette lighter and powered equipment

Attic Electrical, hot ember/ash, smoldering and radiated heat from equipment

Family Room/Living Room Undetermined, equipment, electrical and cigarette

Wall Surface/Exterior Exterior, electrical, hot ember ash,

exposure, equipment, smoking




The area of origin was undetermined in 11.5% of the fires. This is up from last year as "undetermined" was not in the top five by area.

Top 6 by Area


| | | | Resp | | | | | | Civ | Civ | FS | FS |
|--------------------------|-----|-------|---------|---------|----------|-------|-----------|-------------|-----|-------|-----|-------|
| Area of Origin | # | % | Time | %<=6min | Duration | Staff | Apparatus | \$Loss | lnj | Fatal | lnj | Fatal |
| Cooking area, kitchen | 113 | 36.1% | 0:05:50 | 57.5% | 1:19:38 | 4.4 | 10.7 | \$2,057,528 | 9 | 0 | 2 | 0 |
| Bedroom | 53 | 16.9% | 0:05:24 | 66.0% | 1:57:34 | 5.4 | 10.6 | \$710,401 | 15 | 2 | 3 | 0 |
| Attic | 43 | 13.7% | 0:07:06 | 48.8% | 1:49:40 | 4.4 | 11.4 | \$722,236 | 0 | 0 | 0 | 0 |
| Undetermined | 36 | 11.5% | 0:10:51 | 44.4% | 4:01:47 | 5.9 | 11.3 | \$2,467,953 | 3 | 1 | 0 | 0 |
| Wall surface: exterior | 34 | 10.9% | 0:05:49 | 55.9% | 1:31:12 | 4.5 | 9.9 | \$673,650 | 1 | 0 | 0 | 0 |
| Family room, living room | 34 | 10.9% | 0:07:42 | 38.2% | 2:09:45 | 4.4 | 10.9 | \$576,400 | 2 | 2 | 3 | 0 |

Residential


Detectors and sprinklers do work! Of the 151 known residential fires with smoke detectors present, the detectors alerted residents in 65% of the incidents. There was 1 death and 20 injuries. The injuries increased when residents were alert and fighting the fire or escaping but there were fewer deaths.



Detector Type



Detectors Present by Property Type



Structure Fires by County and Property Types

| County | Property Groups | # | % | \$Loss | Civ Cas | Civ Fatal | FS Cas | Total Resid | Total Bldgs |
|------------|--------------------------|--------|---------|-------------|------------|--------------|-----------|----------------|----------------|
| Ada | Outside/Other | 14 | 0.9% | \$2,500 | 0 | 0 | 0 | 0 | 7 |
| | Assembly | 21 | 1.4% | \$232,076 | 0 | 0 | 0 | 30 | 8 |
| | Health care, detention | 1 | 0.1% | \$2,731 | 0 | 0 | 0 | 0 | 1 |
| | Residential | 187 | 12.1% | \$2,291,264 | 12 | 1 | 5 | 459 | 105 |
| | Business Mercantile | 8 | 0.5% | \$369,613 | 0 | 0 | 6 | 0 | 6 |
| | Industrial/Manufacturing | 10 | 0.6% | \$0 | 0 | 0 | 0 | 0 | 4 |
| | Storage | 10 | 0.6% | \$77,300 | 0 | 0 | 0 | 1 | 9 |
| Adams | Residential | 3 | 0.2% | \$0 | 0 | 0 | 0 | 3 | 3 |
| | Storage | 2 | 0.1% | \$0 | 0 | 0 | 0 | 0 | 2 |
| Bannock | Outside/Other | 11 | 0.7% | \$2,900 | 0 | 0 | 0 | 2 | 2 |
| | Assembly | 2 | 0.1% | \$0 | 0 | 0 | 0 | 0 | 0 |
| | Residential | 69 | 4.5% | \$376,305 | 4 | 0 | 0 | 411 | 27 |
| | Business Mercantile | 4 | 0.3% | \$460,000 | 0 | 0 | 0 | 0 | 3 |
| | Industrial/Manufacturing | 2 | 0.1% | \$140,000 | 0 | 0 | 0 | 0 | 2 |
| | Storage | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | 0 |
| Bear Lake | Residential | 5 | 0.3% | \$28,000 | 0 | 0 | 0 | 2 | 1 |
| | Storage | 1 | 0.1% | \$40,000 | 0 | 0 | 0 | 0 | 0 |
| Benewah | Outside/Other | 2 | 0.1% | \$9,000 | 0 | 0 | 0 | 0 | 1 |
| | Residential | 29 | 1.9% | \$331,400 | 0 | 0 | 0 | 12 | 12 |
| | Industrial/Manufacturing | 1 | 0.1% | \$25,000 | 0 | 0 | 0 | 0 | 0 |
| Bingham | Outside/Other | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | 1 |
| | Assembly | 1 | 0.1% | \$3,000 | 0 | 0 | 0 | 0 | 1 |
| | Residential | 31 | 2.0% | \$358,135 | 0 | 1 | 0 | 36 | 27 |
| | Business Mercantile | 1 | 0.1% | \$14,500 | 0 | 0 | 0 | 1 | 1 |
| | Storage | 2 | 0.1% | \$600 | 0 | 0 | 0 | 0 | 2 |
| Blaine | Assembly | 3 | 0.2% | \$0 | 0 | 0 | 0 | 0 | 0 |
| | Residential | 25 | 1.6% | \$1,610,400 | 0 | 0 | 0 | 11 | 0 |
| | Business Mercantile | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | 0 |
| Boise | Assembly | 1 | 0.1% | \$120,000 | 0 | 0 | 0 | 0 | 1 |
| | Residential | 4 | 0.3% | \$85,500 | 0 | 0 | 0 | 3 | 2 |
| | Business Mercantile | 1 | 0.1% | \$250,000 | 0 | 0 | 0 | 0 | 1 |
| | Industrial/Manufacturing | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | 1 |
| Bonner | Outside/Other | 6 | 0.4% | \$2,500 | 0 | 0 | 0 | 4 | 2 |
| 2 0 0 . | Assembly | 2 | 0.1% | \$100 | 0 | 0 | Ö | 0 | 2 |
| | Residential | 42 | 2.7% | \$482,801 | 3 | 0 | 0 | 49 | 20 |
| | Business Mercantile | 4 | 0.3% | \$45,000 | 0 | 0 | 0 | 0 | 3 |
| | Industrial/Manufacturing | 2 | 0.1% | \$300,000 | 0 | 0 | 1 | 0 | 3 2 |
| | Storage | 6 | 0.4% | \$277,500 | 0 | 0 | 0 | 0 | 8 |
| Bonneville | Outside/Other | 2 | 0.1% | \$0 | 0 | 0 | 0 | 0 | 0 |
| Bornievine | Assembly | 1 | 0.1% | \$5,000 | 0 | 0 | 0 | 1 | 1 |
| | Residential | 44 | 2.8% | \$475,400 | 1 | 0 | 0 | 95 | 30 |
| | Business Mercantile | 9 | 0.6% | \$743,650 | 0 | 0 | 0 | 1 | 6 |
| | Industrial/Manufacturing | 3 | 0.2% | \$150,000 | 0 | 0 | 0 | 0 | 2 |
| | Storage | 7 | 0.5% | \$144,950 | 0 | 0 | 0 | 4 | 2 7 |
| Boundary | Outside/Other | | 0.1% | \$18,000 | 0 | 0 | 0 | 0 | 0 |
| 2 Surraury | Assembly | 1 | 0.1% | \$10,000 | 0 | 0 | 0 | 0 | 0 |
| | Residential | 11 | 0.7% | \$133,900 | 0 | 0 | 0 | 6 | 6 |
| | Industrial/Manufacturing | 1 | 0.1% | \$550,000 | 0 | 0 | 0 | 0 | 2 |
| | Storage | 6 | 0.1% | \$32,800 | 0 | 0 | 0 | 0 | 2 |
| Butte | Residential | 3 | 0.4% | \$32,000 | 0 | 0 | 1 | 3 | 2 5 3 |
| Datte | Storage | 3 1 | 0.2% | \$10,000 | 0 | 0 | 0 | 0 | 1 |
| | Otorage | ı | U. 1 /0 | ψ10,000 | U | U | U | U | ı |

Structures

| | | | | | Civ | Civ | FS | Total | Total |
|------------|--------------------------|-----|------|-------------|-----|-------|-----|---------------|------------------|
| County | Property Groups | # | % | \$Loss | Cas | Fatal | Cas | Resid | Bldgs |
| Canyon | Outside/Other | 5 | 0.3% | \$4,100 | 0 | 0 | 0 | 0 | 3 |
| | Assembly | 11 | 0.7% | \$113,060 | 1 | 0 | 0 | 136 | 6 |
| | Health care, detention | 1 | 0.1% | \$2,500 | 0 | 0 | 0 | 40 | 1 |
| | Residential | 116 | 7.5% | \$1,995,250 | 16 | 0 | 3 | 194 | 90 |
| | Business Mercantile | 5 | 0.3% | \$479,000 | 0 | 0 | 0 | 0 | 5 |
| | Industrial/Manufacturing | 6 | 0.4% | \$836,000 | 1 | 0 | 0 | 0 | 5 |
| | Storage | 15 | 1.0% | \$80,765 | 3 | 0 | 1 | 1 | 15 |
| Caribou | Residential | 1 | 0.1% | \$0 | 0 | 2 | 0 | 1 | 0 |
| Cassia | Assembly | 4 | 0.3% | \$1,800 | 0 | 0 | 0 | 0 | 1 |
| | Residential | 17 | 1.1% | \$473,600 | 0 | 1 | 0 | 16 | 14 |
| | Industrial/Manufacturing | 1 | 0.1% | \$1,000 | 0 | 0 | 0 | 0 | 1 |
| | Storage | 20 | 1.3% | \$597,900 | 0 | 0 | 2 | 0 | 14 |
| Clearwater | Residential | 19 | 1.2% | \$79,000 | 2 | 0 | 0 | 8 | 7 |
| | Storage | 1 | 0.1% | \$32,000 | 0 | 0 | 0 | 0 | 3 |
| Custer | Residential | 3 | 0.2% | \$0 | 0 | 0 | 0 | 2 | 2 |
| Elmore | Residential | 20 | 1.3% | \$406,550 | 0 | 1 | 0 | 14 | 11 |
| | Business Mercantile | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | 0 |
| | Storage | 3 | 0.2% | \$34,500 | 0 | 0 | 0 | 0 | 3 |
| Franklin | Outside/Other | 1 | 0.1% | \$500 | 0 | 0 | 0 | 0 | 0 |
| | Residential | 12 | 0.8% | \$489,000 | 1 | 0 | 0 | 11 | 8 |
| | Storage | 2 | 0.1% | \$66,000 | 0 | 0 | 0 | 0 | 2 |
| Fremont | Residential | 2 | 0.1% | \$0 | 0 | 0 | 0 | | 0 |
| Gem | Outside/Other | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | 0 |
| | Residential | 5 | 0.3% | \$1,000 | 0 | 0 | 0 | 3 | 2 |
| | Storage | 1 | 0.1% | \$0 | 0 | 0 | 0 | 1 | 1 |
| Gooding | Residential | 17 | 1.1% | \$223,200 | 0 | 0 | 0 | 48 | 14 |
| | Industrial/Manufacturing | 5 | 0.3% | \$1,000 | 0 | 0 | 0 | 0 | 0 |
| | Storage | 3 | 0.2% | \$4,500 | 0 | 0 | 0 | 0 | 4 |
| ldaho | Residential | 13 | 0.8% | \$96,500 | 1 | 0 | 0 | 13 | 9 |
| | Business Mercantile | 1 | 0.1% | \$98,000 | 0 | 0 | 0 | 1 | 2 |
| | Industrial/Manufacturing | 1 | 0.1% | \$500 | 0 | 0 | 0 | 0 | 0 |
| | Storage | 1 | 0.1% | \$40,000 | 0 | 0 | 0 | 0 | 1 |
| Jefferson | Outside/Other | 1 | 0.1% | \$800 | 0 | 0 | 0 | 0 | 0 |
| | Residential | 6 | 0.4% | \$144,450 | 0 | 0 | 0 | 2 | 2 |
| | Industrial/Manufacturing | 2 | 0.1% | \$3,050 | 0 | 0 | 0 | 0 | 2 |
| | Storage | 3 | 0.2% | \$150,500 | 0 | 0 | 0 | 0 | 2 2 2 3 |
| Jerome | Outside/Other | 4 | 0.3% | \$0 | 0 | 0 | 0 | 0 | 3 |
| | Assembly | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | 0 |
| | Residential | 21 | 1.4% | \$355,200 | 0 | 0 | 0 | 38 | 15 |
| | Business Mercantile | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | 0 |
| | Industrial/Manufacturing | 1 | 0.1% | \$720 | 0 | 0 | 0 | 0 | 0 |
| | Storage | 4 | 0.3% | \$20,100 | 0 | 0 | 0 | 0 | 3 |
| Kootenai | Outside/Other | 7 | 0.5% | \$46,051 | 0 | 0 | 0 | 0 | 4 |
| | Assembly | 5 | 0.3% | \$1,050 | 0 | 0 | 0 | 0 | 3 |
| | Residential | 120 | 7.7% | \$1,420,938 | 3 | 1 | 1 | 635 | 61 |
| | Business Mercantile | 6 | 0.4% | \$300 | 0 | 0 | 0 | 0 | 5 |
| | Industrial/Manufacturing | 7 | 0.5% | \$340,500 | 1 | 0 | 0 | 0 | 6 |
| | Storage | 12 | 0.8% | \$51,800 | 0 | 0 | 0 | 1 | 11 |
| Latah | Outside/Other | 4 | 0.3% | \$100 | 0 | 0 | 0 | 0 | 0 |
| | Assembly | 4 | 0.3% | \$3,200 | 0 | 0 | 0 | 0 | 2 |
| | Residential | 33 | 2.1% | \$320,250 | 0 | 0 | 0 | 509 | 10 |
| | Business Mercantile | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | 0 |
| | Storage | 4 | 0.1% | \$6,700 | 0 | 0 | 0 | 0 | 3 |
| Lemhi | Residential | 25 | 1.6% | \$100,750 | 0 | 1 | 0 | 8 | 4 |
| LOHIII | Business Mercantile | 25 | 0.1% | \$100,730 | 0 | 0 | 0 | 0 | 1 |
| | | 2 | 0.1% | \$20,500 | 0 | 0 | 0 | 2 | 3 |
| Lowis | Storage | | | | 0 | 0 | 0 | <u>2</u> 5 | 2 |
| Lewis | Residential | 5 | 0.3% | \$71,000 | U | U | U | ວ | |

Structures

| County | Property Groups | # | % | \$Loss | Civ Cas | Civ Fatal | FS Cas | Total Resid | Tota Bldgs |
|----------------|--------------------------|-------|--------|--------------|------------|--------------|-----------|----------------|---------------|
| Lincoln | Residential | 9 | 0.6% | \$15,350 | 0 | 0 | 0 | 11 | (|
| | Business Mercantile | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | |
| Madison | Outside/Other | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | (|
| | Assembly | 3 | 0.2% | \$250,000 | 0 | 0 | 0 | 0 | : |
| | Residential | 10 | 0.6% | \$29,500 | 0 | 0 | 0 | 9 | • |
| | Industrial/Manufacturing | 2 | 0.1% | \$0 | 0 | 0 | 0 | 0 | (|
| | Storage | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | |
| Minidoka | Outside/Other | 5 | 0.3% | \$60,000 | 0 | 0 | 0 | 0 | (|
| | Assembly | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | (|
| | Residential | 26 | 1.7% | \$146,600 | 0 | 0 | 0 | 23 | 13 |
| | Industrial/Manufacturing | 1 | 0.1% | \$100,000 | 0 | 0 | 0 | 0 | |
| | Storage | 3 | 0.2% | \$2,500 | 0 | 0 | 0 | 1 | 2 |
| Nez Perce | Assembly | 2 | 0.1% | \$10,000 | 0 | 0 | 0 | 0 | (|
| | Residential | 32 | 2.1% | \$638,555 | 3 | 1 | 2 | 33 | 8 |
| | Business Mercantile | 2 | 0.1% | \$1,000 | 0 | 0 | 0 | 0 | (|
| | Industrial/Manufacturing | 5 | 0.3% | \$13,800 | 0 | 0 | 0 | 0 | |
| | Storage | 1 | 0.1% | \$10,000 | 0 | 0 | 0 | 0 | (|
| Owyhee | Outside/Other | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | |
| , | Residential | 3 | 0.2% | \$0 | 0 | 1 | 0 | 1 | (|
| | Industrial/Manufacturing | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | |
| Payette | Outside/Other | 4 | 0.3% | \$23,200 | 0 | 0 | 0 | 0 | |
| • | Residential | 16 | 1.0% | \$194,100 | 2 | 0 | 0 | 24 | - |
| | Storage | 6 | 0.4% | \$460,100 | 0 | 0 | 0 | 0 | 4 |
| Shoshone | Outside/Other | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | (|
| | Assembly | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | (|
| | Residential | 31 | 2.0% | \$145,600 | 0 | 0 | 1 | 18 | 16 |
| | Storage | 3 | 0.2% | \$3,000 | 0 | 0 | 0 | 0 | ; |
| Teton | Residential | 3 | 0.2% | \$0 | 0 | 0 | 0 | 1 | (|
| | Business Mercantile | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | (|
| Twin Falls | Outside/Other | 19 | 1.2% | \$27,922 | 0 | 0 | 0 | 0 | - 2 |
| | Assembly | 7 | 0.5% | \$85,550 | 0 | 0 | 0 | 0 | ; |
| | Residential | 73 | 4.7% | \$1,946,680 | 2 | 0 | 1 | 66 | 3 |
| | Business Mercantile | 8 | 0.5% | \$175,100 | 0 | 0 | 0 | 0 | |
| | Industrial/Manufacturing | 6 | 0.4% | \$192,500 | 0 | 0 | 0 | 0 | 2 |
| | Storage | 16 | 1.0% | \$79,850 | 0 | 0 | 0 | 1 | 14 |
| Valley | Outside/Other | 1 | 0.1% | \$0 | 0 | 0 | 1 | 1 | |
| - | Assembly | 3 | 0.2% | \$70,000 | 0 | 0 | 1 | 1 | 2 |
| | Residential | 22 | 1.4% | \$4,882,500 | 0 | 0 | 2 | 45 | 13 |
| | Business Mercantile | 1 | 0.1% | \$2,000 | 0 | 0 | 0 | 1 | |
| | Storage | 1 | 0.1% | \$0 | 0 | 0 | 0 | 0 | |
| Washington | Residential | 13 | 0.8% | \$30,000 | 0 | 0 | 0 | 10 | |
| aoriii igitori | Storage | 2 | 0.1% | \$0 | 0 | 0 | 0 | 0 | |
| Total | 10.0.030 | 1,550 | 100.0% | \$29,043,316 | 56 | 10 | 28 | 3,069 | 85 |




Participants

The number of participants in IFIRS has increased 7 percent from 2003 for a total of 176 reporting departments. This annual report is the compilation of the incidents we received from participating departments for 2004. Without their input, this report would not be possible.

We extend a very special thank you to those counties where there was 100 percent participation: Ada, Bear Lake, Bonneville, Butte, Franklin, Gooding, Jerome, Kootenai, Lincoln, Madison, Minidoka, Payette, and Teton.

The chart below shows the continued increase in the number of submitted incidents since 1999 when the reporting system mainly collected fire incident data. The data increased as more departments began using NFIRS Version 5 in 2001. These incidents reflect all activities that are performed for the public by emergency services today.



| 300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | П | 0 | | 0 | 0 | 0 | | 10 | 70 | ि | 0 | 0 | 0 | 0 | 0 | 0 | П | 1 | 0 | ा | ٦ | 0 | ा | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | T | ग | ग | ग | গ | 5 |
|--------------------------|-----------|-----------|-------------|-------------|-------------------|---------------------------------------|---------------|----------|-------------|-------------------------|-------------------|--------------------|-----------------|---|----------|-------------|-----------|----------|---------------------|-------------|-------------------|---------------------|-------------------|----------|---|---------------|--------------|---------------|-----------|---------------|--------------------|-----------|---------|----------|-----------|----------------|------------------|---|----------------|--|---|---------------|-----------|-------------------|
| Fire Service Fatality | | | | _ | 0 | 0 | _ | Ш | 0 | L | 0 | 0 | 0 | | | | | 0 | | 0 | 0 | 0 | 0 | Ц | _ | | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | - | | 5 0 | 5 0 | 5 6 | 9 |
| Fire Service | 7 | 0 | | ľ | | | 11 | Ш | | | | | | | | | | | | | | | ľ | | | | | | | | | | |) | | | | | | | | |] | |
| Injury | | 0 | 0 | 0 | 0 | 0 | 0 | H | - | L | 0 | 0 | 0 | + | - | - | | 0 | | 0 | 0 | 0 | 0 | Н | 4 | | a | 5 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | - | 5 0 | 5 7 | 5 0 | 5 6 | 5 |
| Civilian Fatality | | | | | | | | Ш | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Civilian | 6 | _ | 0 | 2 | 0 | 0 | 15 | П | 0 | | 0 | 0 | 0 | | 0 | 7 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | | ľ | 0 | 0 (| O | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | - | 5 0 | ग | 5 0 | 7 | 7 |
| Injury | 44 | 270 | 0 | 275 | 000 | 080 | 691 | Н | - | H | 0 | 0 | \$0 | + | 10 | 18 | - | 0 | - | 0 | 285 | 300 | 585 | Н | + | + | 0 | 0 | 0 | 3,000 | 8 | 0 | 8 | 0 | 0 | 0 | 000 | | 00 | 3 5 | 3 5 | 3 0 | 3 8 | 9 |
| \$Loss | 1,805,344 | 493,270 | | ,031,275 | 3,5 | 7,0 | 340 | | | | | | | | | 94 | | | | | 968,2 | | \$1,062,5 | | | | 3 | 40,000 | ľ | 3,0 | 25,000 | | 2,0 | | | 0 | \$70,0 | | 25,000 | 2,0 | 274,000 | 3/4,4 | 3 | 683,400 |
| | Ť, | | | ــــ | | | \$3, | | | | | | | | | | | | | | | | \$1, | | | | | | | | | | | | | | | | | | | | | |
| | 9% | %9.0 | % | 4.6% | %8.0 | %9.0 | %2 | H | %0.0 | ┢ | %0.0 | | %0.0 | + | %(| % | %0.0 | 0.0% | 0.0% | 0.0% | 4.1% | %0.0 | 4.4% | H | - | %0.0 | 0.0% | 0.0% | %0.0 | %0.0 | %0.0 | %0.0 | %0.0 | %(| %(| %0.0 | %(| + | %00 | 2 3 | % 0.7% | %7.0 | 2 | 0 |
| Per Cent of | 24.9% | o. | - | 4. | 0.0 | 0.0 | 32.7% | Ш | Ö | | 0.0 | | ö | | Ö | Ö | Ö | o | Ö | Ö | 4. | 0.0 | 4. | | | ŏ | <u>Ö</u> | 0. | Ö. | ö | Ö. | Ö | ö | 0.0 | o. | o. | 0.0 | | 0 | خ اخ | ء اد | خ اخ | 5 | |
| totals | | _ | 8 | <u> </u> | 9 | 4 | 8 | Ш | | L | 8 | 0 | 8 | _ | | 1 00 | | | | 0 | 0 | 8 | | Ц | _ | <u></u> | 0 0 | 20 | ~ | 2 | 17 | _ | 0 | 3 | 2 | 0 | _ | | | V C | <u> </u> | χ c | 5 9 | |
| -16 | 14,970 | 367 | 869 | 2,578 | 456 | 344 | 19,413 | | 30 | | 18 | | 48 | | | 203 | | | | | 2,486 | | 2,692 | | ľ | 7 | | | | | 7 | | | | | | 7 | | | 9 | 2 5 | 138 | 8 | 220 |
| Totals | | 2 | _ | 0 | 2 | 0 | | Щ | 0 | | 0 | | 0 | | 1 | <u>ا</u> | 1 | | | | _ | 0 | 10 | Ш | _ | | 0 0 | 5 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 5 6 | 5 0 | n | ۱, | 9 |
| Other | | | | | | | 7 | Ш | | | | | | | | | | | | | | | | Ш | | | | | | | | | | | | | | | | | | | | |
| Weather | | | | 0 | | 0 | 11 | Ш | 0 | | 0 | | 0 | | | | | | | | _ | 0 | | Ц | | | 0 | | | | | | | | 0 | | | | | | 2 7 | | | |
| | 1,481 | 8 | 23 | 257 | 124 | 19 | 2,017 | | 2 | | 0 | | 7 | | | 44 | | | | | 180 | 0 | 224 | | | | ا، | 4 | | 0 | 4 | | | 0 | | 0 | 0, | | |] | ۵ ا | | | 11 |
| False | 40 | 73 | 71 | 32 | 116 | 2 | 601 | H | 7 | \vdash | _ | | က | + | + | 27 | \perp | + | + | | 138 | 0 | 165 | Н | + | - | | 0 | 0 | + | 0 | 0 | 0 | 0 | 0 | 0 | 1 | | - | 2 5 | 2 6 | 2 | - | 36 |
| Assist | õ | - | - | 4 | - | | 1,6 | | | | | | | | | `` | | | | | 7 | | ٦ | | | | | | | | | | | | | | | | | | ` | | ľ | |
| | 572 | 33 | 69 | 101 | 34 | 8 | 817 | H | 2 | T | 0 | | 20 | t | t | 1 | t | T | T | | 22 | 0 | 74 | Ħ | 1 | 4 | 0 | | 7 | 7 | က | 0 | က | 1 | 0 | 0 | 26 | | 10 | 7 | ╬ | 4 | † | 2 |
| Service | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 377 | 18 | 13 | 54 | 30 | 11 | 503 | Ш | l° | | 0 | | ٥ | | | 36 | | | | | 117 | 2 | 155 | | | $^{\circ}$ | 0 | | | $^{\circ}$ | 3 | | 7 | 0 | 0 | l° | 2 | | | 7 | - - | 14 | | 31 |
| Hazard | 94 | 29 | 19 | 85 86 | 37 | 246 | 93 | Н | - | ┝ | 10 | | 9 | + | + | <u>س</u> | + | \vdash | + | _ | 4 | 0 | 47 | Н | + | 4 | | 5 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | - | 2 2 | - 6 | 2 | + | 24 |
| EMS | 10864 | | 4 | 1568 | | 5 | 13,193 | | | | | | | | | | | | | | 1844 | | 1,847 | | | | | | | | | | | | | | | | | | | | | |
| | 25 | _ | 2 | က | 7 | 0 | 89 | H | - | H | 0 | | - | + | \perp | + | + | T | L | | 4 | 0 | 2 | H | + | + | 9 | 0 | 0 | + | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | - | 5 + | + | + | + | 7 |
| EXP | _ | | | _ | 10 | 10 | " | Ц | 2 | | | | | | | L | | | | | _ | L | L | Ц | | | 0 0 | 20 | 0 | e | | | 2 | 21 | 2 | | | | | | | \perp | 1 | |
| | 269 | 96 | 70 | 163 | 105 | 55 | 1,186 | | " | | | | 12 | | | 71 | | | | | 138 | | 210 | | | | | , | | | - | _ | " | 2 | | 0 | 30 | | 6 | ` ` | 27 | 53 | ľ | 77 |
| Fire | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 193,085 | 19,000 | 7,386 | 54,000 | 12,000 | 5,500 | 290,971 | | 1,500 | 0 | 500 | 1,000 | 3,000 | | 314 | 20 000 | 672 | 2.500 | 1,500 | 763 | 51,442 | 8,500 | 85,691 | | | 2,300 | 100 | 100 | 100 | 538 | 2,900 | 50 | 100 | 576 | 100 | 156 | 7,020 | | 1 000 | ,000 | 7,500 | 1.000 | 120 | 10,626 |
| COPULATION | 193 | 13 | | 2 | 1, | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 29(| Ш | ` | | | ` | | | | 5 | | `` | | | 2 | " | 8 | | | | | | | | | | | | | | | | ` | ľ | Ϊ΄ | | ľ | = |
| Population Protected | _ | | | | | | | Н | | | | | | + | | T | L | t | | | | | | Н | 1 | 1 | 1 | | | 1 | | | | | | | | | | $^{+}$ | \dagger | + | \dagger | ┨ |
| | | | | | | | | Ш | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPARTMENT NAME | | | | | یا | | | Ш | | Ļ | | MEADOWS VALLEY RFD | | | | | | | 3.FD | | | YFD | | | | | | | | | 딘 | | | | | | ∠ | | | PERIMONED RATEMAN ED | 7 | | | |
| Z E E | | | | | D. F8 | | | Ш | | DEP | / RFI | LLEY | اۓ | | | | | | SINGS | | ITYF | ALLE | FNO | | | ᆈ | | اد | | | Ы | | | | | ٩ | LNNC | | רפה | ֓֞֜֞֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֡֓֓֓֓֓֡֓֓֡֡֡֓֡֓ | <u>ځ</u> اد | | | |
| ART | | Ö | | FP. | DA C | | Ϋ́ | Ш | VFD | FIRE | ALLE | S VA | N N O | | | K F | | | rSPF | ON F | COC | 10 \ | 00 | | | | ا أا | EN F | ای | | IER (| 잂 | | | E E | LES | KE C | | 9 | בן יל מולי | 7 5 | | | 3 |
| DEF | BOISE FD | EAGLE FPD | KUNA FD | MERIDIAN FD | NORTH ADA CO. F&R | 2 FD | noo | Ш | COUNCIL VFD | CUPRUM FIRE DEPT | INDIAN VALLEY RFD | DOW | MS C | | ARIMO FD | CHUBBUCK FD | DOWNEY FD | INKOM FD | LAVA HOT SPRINGS FD | MCCAMMON FD | POCATELLO CITY FD | POCATELLO VALLEY FD | NOC | | | BENNINGTON FD | DINGLE FD | FISH HAVEN FD | GENEVA FD | GEORGETOWN FD | MONTPELIER CITY FD | NOUNAN FD | 딘 | PARIS FD | PEGRAM FD | ST. CHARLES FD | R LA | | FEBNIWOON PEPN | | | SI MAKIES FPU | | EWA. |
| | BOIS | EAG | Y N N | MER | NOR | STAR FD | 01 ADA COUNTY | Ц | COO | CUP | INDÍ. | MEA | 03 ADAMS COUNTY | | ARIN | 문 |) O | Ĭ K | Ž | MCC | POC | POC | 05 BANNOCK COUNTY | Ш | į | BEN | | FIST | GEN | GEO | MOM | NON | OVID FD | PAR | PEG | ST. | BEAR LAKE COUNTY | | <u> </u> | | ֓֞֟֝֟֝֟֝֟֓֟֝֟֟֓֟֓֟֟֓֟֓֟֟֓֟֓֓֟֟֓֓֓֟֟֓֓֟֟ ֓֓֓֞֓֞֓֓֓֞֓֓ | 2 ž | | 09 BENEWAH COUNTY |
| | | | | | | | 9 | $ \top$ | | * | | | 03 | | | | | | | | | | 05 | $ \top$ | | Ī | Ī | | | Ī | Ī | | | | | | 07 | | | | | T | | 3 |
| FDID | 01100 | 01344 | 01246 | 01313 | 01236 | 01342 | | | 03320 | 03310** | 03334 | 03340* | | | 05322* | 05207 | 05326* | 05328* | 05329* | 05340* | 05101 | 05331 | | | 1 | 07343 | 07335 | 07341 | 07339 | 07337 | 07301 | 07344 | 07336 | 07334 | 07338 | 37342 | | | 00330 | 00000 | 2002 | 09366 | 250 | |
| <u> </u> | 0 | 9 | 9 | 9 | 9 | 9 | | Ш | 180 | 8 | 0 | 8 | | | 02 | 9 | 160 | 18 | [] | 189 | 9 | 9 | | Ш | | 6 | 6 | ò ≀ | 0 | 0 | 0 | 6 | 6 | 0 | 0 | 37 | | | 2 | 3 S | 3 6 | 3 3 | <u>"</u> | ┙ |

| 1580 MERCRER FO 1400 | FDID | DEPARTMENT NAME | Population Protected | Fire | EXP | EMS | Service Hazard | Assist | False | Weather | Other | Totals | Per Cent totals | \$Loss | Civilian Injury | Civilian Fatality | Fire Service Injury | Fire Service Fatality | |
|--|--------|--|-------------------------|------|----------|-------|-------------------|--------|---------------|----------|---------------|--------|-----------------|----------|--------------------|----------------------|------------------------|--------------------------|----|
| FIGURE COLITY FD State S | 11303* | | 1.403 | 1 | † | 1 | + | + | + | + | + | | | <u>%</u> | | | | e - c | |
| HANCHOOLICITY PD | 11360* | ATOMIC CITY FD | 32 | | | | | | | | | | | % | | | 0 | 0 | ा० |
| FORTHALE S. 1000 S. | 11101 | BLACKFOOT CITY FD | 26,000 | 172 | | 0 | 37 | 49 | 29 | 52 | | | | 287 | | | | 0 | 0 |
| SHELLEY PLANE S. 5144 104 1 6 1 6 1 6 1 6 1 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 11357 | FIRTH FD | 5,000 | 29 | | 26 | 7 | - | 10 | 1 | | | | | | | | 0 | 0 |
| SHINCHENT PROPERTY 1, 12, 12, 13, 14, 14, 14, 15, 14, 15, 14, 15, 14, 15, 14, 15, 14, 15, 14, 15, 14, 15, 14, 15, 14, 15, 14, 15, 14, 14, 15, 14, 14, 15, 14, 14, 15, 14, 14, 15, 14, 14, 14, 14, 14, 14, 14, 14, 14, 14 | 11334 | FORT HALL | 5,914 | 104 | | 8 | 18 | 13 | 18 | 59 | | | | | | | | 0 | 0 |
| Healtenan County 1,000 15 1000 1 | 11355 | SHELLEY FD | 3,744 | 4 | _ | 16 | 2 | 0 | - | 0 | | | | | | | | 0 | 0 |
| BELLEVUE CITY FD | 1 | 1 BINGHAM COUNTY | 42,093 | 309 | | 20 | 64 | 63 | 88 | 82 | | | | | | | 1 | 0 | 0 |
| BELLEVUE CITY FD | | | | | | | | | | | H | 29 | 8 | | | | | | П |
| BELLEYPOLITY PJ 18/10 1/ | 0000 | (L) \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ | 1 | 1 | | , | , | , | | 1 | | | | | | | | - | 1 |
| MACHEN CITY FD | 13302 | BELLEVUE CITY FD | 1,8/6 | 1/ | 5 | | 18 | 4 | 9 | + | | | | | | | 0 0 | 5 0 | ৃ |
| NAMELEY CITY FOLD | 13354* | CAREY RFPD | 513 | 7 | | 100 | | | - 2 | - | | | | | | | | 5 0 | ৃ |
| MINDERNER FPD | 13301 | HAILEY CITY FD | 7,500 | 40 | | 294 | 42 | 24 | 21 | 41 | | | | | | | | 0 | ল |
| SUNVELIEYED | 16203 | KETCHUM FD | 11,200 | 9 | | 240 | 22 | 44 | 92 | 46 | | | | | | | | 0 | ল |
| WOOD RIVER FPD 15,000 5 0 6 1447 132 14 45 6 0 688 15,000 15 10 0 0 0 17,88 11,800 475 GENTERVILLE FD 300 1 0 2 0 | 13306 | SUN VALLEY FD | 1,000 | 15 | | 24 | = | - | 2 | 59 | | | | 1,60 | | | | 0 | ল |
| Tablame County | | WOOD RIVER FPD | 15,000 | 5 | | 288 | 2 | 41 | 45 | 2 | | | | | | | | 0 | ল |
| CENTERVILLE FD CENTERVILLE FD CENTERVILLE FD CARDEN VALLEY FD | | 3 BLAINE COUNTY | 37,089 | 83 | | 1,447 | 132 | 114 | 172 | 128 | | | | | | | | 0 | ণ |
| CENTERVILLE FD 300 1 0 2 0 0 6 0.0% 0 CLEAR CREEK VFD 400 5 0 1 0 | | | | | | | + | | + | 1 | $\frac{1}{1}$ | 2,06 | 22 | | + | | | | Т |
| CLEAR CREMEILE FIDE 300 1 0 2 0 0 3 0 0 0 0 0 0 0 | | | • | , | ľ | ľ | 1 | + | + | + | | | | | | | | - | - |
| CLEAKCEKEK VFD | 15309 | CENTERVILLE FD | 300 | 1 | 0 | 2 | 0 | 0 | n | 0 | | | | % | | | | 0 | ল |
| GRANDEN VALLEY FD | 5330* | CLEAR CREEK VFD | 400 | | | | 1 | - | + | + | | | | • | | | | 0 | ৃ |
| CHARNEMENTALE FOR THE PINES FOR THE PINES RANCH VFD CHARNE FOR THE PINES RANCH VFD COMMAN FO | 5311 | GARDEN VALLEY FD | 400 | 5 | 0 | 31 | 2 | 0 | 9 | + | | | | 8 | | | | 0 | ল |
| HORSESHOE BEND FD | 5320* | GRANDJEAN VFD | 20 | | | | | - | \dashv | \dashv | | | | % | | | | 0 | ণ |
| IDAHO CITY VFD DAHO CITY V | 5345 | HORSESHOE BEND FD | 1,000 | 1 | 0 | 0 | 0 | 0 | - | 0 | | | | | | | | 0 | ০ |
| COMMENTED 350 | 5324 | IDAHO CITY VFD | 200 | 8 | | က | - | - | 0 | - | | | | 459, | | | | 0 | ণ |
| PLACERVILLE FD 100 | 5342 | LOWMAN FD | 350 | 0 | | 0 | 3 | 0 | - | 0 | | | | % | | | | 0 | া |
| ROBIE CREEK FD 300 | 5301* | PLACERVILLE FD | 100 | | | | | | + | | $\frac{1}{1}$ | | | % | | | | 0 | ० |
| WALLEY OF THE PINES FD 50 150 | 5313* | ROBIE CREEK FD | 300 | | | | | | $\frac{1}{2}$ | \dashv | - | | | % | | | | 0 | 0 |
| MILDERNESS RANCH VFD 300 10 0 15 3 6 3 1 0 0 38 0.1% 500 | 5335** | VALLEY OF THE PINES FD | 20 | | | | | | $\frac{1}{2}$ | 1 | | | | | | | 0 | 0 | 0 |
| 15 BOISE COUNTY 3,750 25 0 51 9 7 14 3 0 109 0.2% \$462,500 **** CLARK FORK VFD 600 600 600 600 600 0 <td></td> <td>WILDERNESS RANCH VFD</td> <td>300</td> <td>10</td> <td></td> <td>15</td> <td>3</td> <td>9</td> <td>8</td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0</td> <td>০</td> | | WILDERNESS RANCH VFD | 300 | 10 | | 15 | 3 | 9 | 8 | - | | | | | | | | 0 | ০ |
| COOLIN-CAVANAUGH BAY PD 600 4 0 4 0 <td></td> <td>5 BOISE COUNTY</td> <td>3,750</td> <td>25</td> <td></td> <td>21</td> <td>6</td> <td></td> <td>4</td> <td>က</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0</td> <td>০</td> | | 5 BOISE COUNTY | 3,750 | 25 | | 21 | 6 | | 4 | က | | | | | | | | 0 | ০ |
| COCAIN-CAVANAUGH BAY PD 600 6 4 0 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>+</td> <td>+</td> <td>+</td> <td>+</td> <td>+</td> <td>7</td> <td>60</td> <td></td> <td></td> <td></td> <td></td> <td>4</td> <td>Т</td> | | | | | | | + | + | + | + | + | 7 | 60 | | | | | 4 | Т |
| CLARK FORM VFD COCLIN-CAVANAUGH BAY PD 300 5 0 4 0 | 107.7 | מויי אמטו אמיי ס | C | | <u> </u> | | | + | + | + | + | | | è | | | | | Т |
| VONDERINGEMENTATION OF THE PARTY OF CONTRINGUES AND CON | 17344 | COOLIN-CAVANALIGH BAY PD | 000 | 7 | | 4 | | | - | - | | | | | | | | 5 0 | ग |
| NORTHSIDE FPD 2,500 52 1 8 66 22 16 31 0 196 0.3% 438,000 PRIEST RIVER CITY FD 2,000 4 2 1 4 0 3 0 14 0.0% 307,900 SAGLE FD 5,700 48 0 257 22 34 54 4 0 1 459 0.8% 107,501 SAMOWEN FD 50 4 0 257 22 34 54 4 0 | 17316* | HOPE EAST HOPE FD | 231 | | | | - | | | + | | | | | | | | | ा |
| PRIEST RIVER CITY FD 2,000 4 2 1 4 0 3 0 1 450 0.0% 307,900 SAGLE FD 5,700 48 0 257 22 34 54 43 0 1 459 0.8% 107,501 SAM OWEN FD 50 4 0 1 3 0 0 0 0 8 0.0% 0 0 SANDPOINT FD 7,000 37 1 409 36 74 19 54 1 1 632 1.1% 63,400 SCHWEITZER FD 1,000 0 0 1 0 0 1 1 63 0 < | 7333 | NORTHSIDE FPD | 2,500 | 52 | | 8 | 99 | 22 | 16 | 31 | | | | | | | | 0 | 0 |
| SAGLE FD 5,700 48 0 257 22 34 54 43 0 1 459 0.8% 107,501 SAM OWEN FD 50 4 0 1 3 0 | 17303 | PRIEST RIVER CITY FD | 2,000 | 4 | 2 | 1 | 4 | 0 | 0 | 3 | | | | | | | 0 | 1 | 0 |
| SAM OWEN FD 50 4 0 1 3 0 <t< td=""><td>17341</td><td>SAGLE FD</td><td>5,700</td><td>48</td><td></td><td>257</td><td>22</td><td>34</td><td>54</td><td>43</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0</td><td>0</td></t<> | 17341 | SAGLE FD | 5,700 | 48 | | 257 | 22 | 34 | 54 | 43 | | | | | | | | 0 | 0 |
| SANDPOINT FD 7,000 37 1 409 36 74 19 54 1 63 1.1% 63,400 SCHWEITZER FD 1,000 0 0 11 0 0 0 1 0 0 1 0 <td< td=""><td>17360</td><td>SAM OWEN FD</td><td>20</td><td>4</td><td>0</td><td>1</td><td>3</td><td>0</td><td>0</td><td>0</td><td></td><td></td><td></td><td>%</td><td></td><td></td><td></td><td>0</td><td>0</td></td<> | 17360 | SAM OWEN FD | 20 | 4 | 0 | 1 | 3 | 0 | 0 | 0 | | | | % | | | | 0 | 0 |
| SCHWEITZER FD 1,000 0 11 0 0 1 0 0 1 0 0 1 0 | 17201 | SANDPOINT FD | 7,000 | 37 | 1 | 409 | 36 | 74 | 19 | 54 | | | | 63, | | | | 0 | 0 |
| WEST PEND OREILLE FD 2,000 30 0 11 16 21 21 15 4 1 119 0.2% 509,500 WEST PRIEST LAKE FD 600 2 0 0 0 0 1 0 0 3 0.0% 0 0 WEST SIDE FPD 4,497 1 0 4 0 | 17349 | SCHWEITZER FD | 1,000 | 0 | 0 | 1 | 0 | 0 | 0 | _ | | | | | | | | 0 | ০ |
| WEST PRIEST LAKE FD 600 2 0 | 17337 | WEST PEND OREILLE FD | 2,000 | 30 | | 1 | 16 | 21 | 21 | 15 | | | | 209 | | | | 0 | ০ |
| WESTSIDE FPD 4.497 1 0 4 0 1 0 | 17319 | WEST PRIEST LAKE FD | 009 | 2 | 0 | 0 | 0 | 0 | 0 | - | | | | % | | | | 0 | ा |
| 26,478 183 4 706 147 152 110 148 5 3 1,458 2.5% \$1,434,301 | | WESTSIDE FPD | 4,497 | 1 | | 4 | 0 | - | 0 | 0 | | | | | | | | 0 | न |
| | | 7 BONNER COUNTY | 26,478 | 183 | | 706 | 147 | 152 | 110 | 148 | | | | | | | | _ | ᆰ |

| ire Service Fatality ire Service Injury | | | 0 | 0 | |
|--|---------------|----------|----------------|--------------------|-------------------------------|
| Civilian Fatality Civilian | + | 0 | 2 | 0 | 0 |
| Injury \$Loss | | 2.200 | 2,155,370 | 25,000 | 30,100 |
| , of | 1 | 0.1% | | | 0.0% |
| er Cent of totals | ,458 | 40 | 801 | 26 | 11 |
| Totals | + | | | | 0 9 |
| Other Weather | 1 | | | 1 0 | 0 0 |
| False | $\frac{1}{1}$ | 10 15 | 62 188 | . 2 | 1 4 78 208 |
| Assist | + | 0 | | | 2 52 7 |
| Service | _ | 8 | | 2 | 171 |
| Hazard | 1 | 0 | | 12 | 38 |
| EMS | + | 0 | 10 | 0 | 0 0 |
| EXP | + | 12 | 294 | 9 | 315 |
| Fire | | 8,700 | 82,522 | 200 | 92.865 |
| Population Protected | | | | | |
| DEPARTMENT NAME | | | _D | · FPD #2 | SOUNTY |
| DEPART | | AMMON FD | IDAHO FALLS FD | SWAN VALLEY FPD #2 | UCON FD 19 BONNEVILLE COUNTY |
| | $\frac{1}{1}$ | | | | UCC 19 BON |
| FDID | | 19315 | 19101 | 19340 | 19317 |

| Fire Service | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | T | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | | \neg | 0 | 0 | 0 | 0 | 0 | | 0 | | 0 | 0 | П |
|-------------------------|--------------------------|------------|---------------------------|-----------|-----------|----------------|------------------|----------------|-----------------|---------|-------------------------|--------------|---------------|----------|-----------------|-----------|---------------|---------------|------------|----------------------|--|------------|-----------|------------------|-------------------|-------|------------------|----|--------|-------------|-----------------------|-------------------|-----------------------|-------------------|-----------|------------------|-------------|----------------|--------------------|--|
| Falanti | ᅒ | 0 | 2 | 0 | 0 | 0 | 7 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | | 0 | \parallel | 0 | 0 | \vdash |
| Fire Service Injury | | 0 | 1 | 0 | 0 | 0 | - | 0 | 0 | \perp | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | | _ | 0 | 1 | 0 | 0 | 0 | | 1 | | 0 | 0 | $\!$ |
| Civilian Fatality | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | _ | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 2 | | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | | 0 | | _ | - | \vdash |
| Civilian Injury | 00 | 0 | 01 | 00 | 30 | 00 | 06 | 0 | 0 | | 0 | 0 | 00 | 0 | 00 | 000 | 0 | 0 | 0 | 200 | | 0 | 0 | 00 | 0 | 0 | 00 | | | 0 | 0 | 0 | 00 | 21 | | 21 | | 00 | 0 | $\!$ |
| \$LOSS | 75,000 | 0 | 944,71 | 20,000 | 162,080 | 3,000 | \$1,204,790 | | | | | | 43,000 | | 56,50 | 62,00 | | | | 161,50 | | | | 50,000 | | | 50,000 | | | | | | 24,40 | 446,345 | | 470,745 | | 590,50 | \$590,500 | |
| Per Cent of | %0.0 | %0.0 | 0.3% | %0.0 | %0.0 | %0.0 | 0.3% | %0.0 | %0.0 | | 0.1% | | 0.0% | %0.0 | 0.1% | %0.0 | %0.0 | %0.0 | %0.0 | 0.2% | | %0.0 | %0:0 | 0.0% | %0.0 | 0.0% | 0 | | | %0.0 | 0.0% | %0.0 | 0.1% | 0.1% | | 0 | | 0.1% | 0.1% | \parallel |
| Per Cent of totals | | l | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Totals | _ | 0 | 175 | 7 | 17 | 2 | 205 | | 0 | | 69 | 0 | 3 | 0 | 29 | 4 | 17 | 2 | 3 | 165 | | | 15 | 26 | 10 | 21 | 72 | | | | 1 | 0 | 80 | 64 | 0 | 146 | | 71 | 71 | |
| | 0 | | 0 | 0 | 0 | 0 | 0 | | 0 | | 0 | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | | 0 | 0 | | 0 | | 0 | 0 | \vdash |
| Other Weather | 0 | | 0 | 0 | 0 | 0 | 0 | | 0 | | 0 | | 0 | | | | | | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | | 0 | _ | | 1 | | 0 | 0 | \vdash |
| | 0 | | 39 | 1 | 2 | 0 | 42 | | 0 | | 0 | | 0 | | 12 | 0 | 0 | 0 | 1 | 13 | | | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | | 19 | _ | | 20 | | 0 | 0 | |
| False | 10 | | 30 | 0 | 1 | 0 | 31 | | 0 | + | 0 | | 0 | | 2 | - | 9 | 0 | 0 | 12 | | | 0 | 7 | 0 | 10 | 17 | 34 | | 0 | 0 | | 10 | 2 | | 15 | | 6 | 6 | \vdash |
| Assist | 0 | | 9 | 0 | 0 | 0 | 9 | | 0 | | 0 | | 0 | | 8 | 0 | 0 | 0 | 0 | 3 | | | 1 | 0 | 0 | 0 | 1 | | _ | 0 | 0 | | 10 | 9 | | 16 | | 7 | 7 | dash |
| Service | 0 | | 12 | 0 | 1 | 3 | 9 | | 0 | | 0 | | 0 | | 6 | 0 | 0 | 1 | 0 | 0 | | | 9 | 1 | 9 | 7 | 2 | | | 0 | 0 | | 4 | 2 | | 9 | | 8 | 3 | Щ |
| Hazard | | | 1 | | | | 1 | | | | | | | | | | | | | 10 | | | | | | | 7 | | | | | | , | | | | | | | |
| EMS | 0 | | 2 | 0 | 1 | 0 | 9 | | 0 | | 0 | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 11 | 0 | 8 | 19 | | | 0 | 0 | | 0 | 0 | | 0 | | 23 | 23 | |
| EIMIC | 0 | | 0 | 0 | 0 | 0 | 0 | | 0 | | 0 | | 0 | | 6 | 0 | 0 | 0 | 0 | 6 | | | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | | 7 | - | | 3 | | - | - | \vdash |
| EXP | - | | 83 | 9 | 12 | 2 | 104 | | 0 | | 69 | | 3 | | 29 | က | 11 | - | 2 | 118 | | | 8 | 7 | 4 | _ | 20 | | | - | 1 | | 32 | 48 | | 85 | | 28 | 28 | ${\mathbb H}$ |
| Fire | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Population Protected | 200 | 302 | 19000 | 338 | 899 | 200 | 21,311 | 1,000 | 1,000 | | 5,000 | 156 | 300 | 20 | 3,247 | 200 | 425 | 200 | 416 | 10,794 | | 27 | 999 | 1,200 | 11,600 | 500 | 13,893 | | | 40 | 0 | 1,611 | 14,000 | 2,000 | 100 | 17,751 | | 1,200 | 1,200 | |
| DEPARTMENT NAME | ACE FIRE PROTECTION UNIT | ALBION FPD | BURLEY CITY/N CASSIA RFPD | DECLO RPD | OAKLEY FD | RAFT RIVER FPD | 31 CASSIA COUNTY | DUBOIS CITY FD | 33 CLARK COUNTY | | CLEARWATER POTLATCH TPA | ELK RIVER FD | EVERGREEN VFD | GREER FD | OROFINO CITY FD | PIERCE FD | SUNNYSIDE FPD | TWIN RIDGE FD | WEIPPE RFD | 35 CLEARWATER COUNTY | | CLAYTON FD | MACKAY FD | NORTH CUSTER FPD | SOUTH CUSTER RFPD | | 37 CUSTER COUNTY | | | ATLANTA RFD | ELMORE CO UNPROTECTED | GLENN'S FERRY FPD | MOUNTAIN HOME CITY FD | MOUNTAIN HOME FPD | OASIS VFD | 39 ELMORE COUNTY | | FRANKLIN CO FD | 41 FRANKLIN COUNTY | |
| FDID | 31343 | 31342* | 31201 | 31334 | 31340 | 31338 | 3 | 33329* | 8 | | 88172 | 35301* | 35341 | 35340* | 35303 | 35309 | 35338 | 35305 | 35312 | ိ | | 37315* | 37305 | 37334 | 37354 | 37301 | 3 | | | 39338 | 39000 | 39303* | 39301 | 39334 | 39309* | 3 | | 41301 | 4 | |

| DEPARTMENT NAME | \\/ | Populatio | Fire | EXP | EMS | Hazard | Service | Assist | False | Weather | Other | Totals | Per Cent totals | | Injury \$Loss | Civilian Fatality Civilian | Fire Servi | Fire Servin |
|---------------------------|----------|-----------|------|-----|-----|--------|---------|--------|-------|---------|-------|--------|--------------------|-------------|------------------|----------------------------------|-----------------|-------------|
| ISI AND PARK FPD | 1 | 215 | | 1 | | | | | | | + | | | - % of 0 | 7 | - - | -/ - | <u> </u> |
| NORTH FREMONT FPD | O, | 3,000 | 11 | 0 | 0 | 0 | 2 | 0 | 4 | 0 | 0 | 17 | | %0.0 | 3,100 | 0 | 0 | 0 |
| ST ANTHONY/S FREMONT FD | AONT FD | 4,000 | | | | | | | | | | ٥ | | %0.0 | 0 | 0 | 0 | 0 |
| 43 FREMONT COUNTY | | 7,215 | 1 | 0 | 0 | 0 | 2 | 0 | 4 | 0 | 0 | 12 | | %0: | \$3,100 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | + | | | + | + |
| EMMETT CITY VFD | | 5,490 | 25 | | _ | 7 | 4 | 9 | 17 | | 7 | 62 | | 0.1% | 3,800 | 0 | 0 | 0 |
| GEM COUNTY FPD #1 | _ | 8,000 | 91 | 2 | | 4 | 10 | 9 | 0 | 0 | - | 115 | | 0.2% | 0 | 0 | 0 | 0 |
| GEM COUNTY FPD #2 | 2 | 1,400 | | | | | | | | | | 0 | | %0.0 | 0 | 0 | 0 | 0 |
| 45 GEM COUNTY | | 14,890 | 116 | 2 | 2 | 11 | 14 | 12 | 17 | 0 | 3 | 177 | | 0.3% | \$3,800 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | \perp | | | | + |
| BLISS FD | | 400 | 19 | 0 | 77 | 4 | 2 | 13 | | | 0 | 118 | 0 | .2% | 9.500 | 0 | 0 | 0 |
| GOODING CITY/RURAL FD | AL FD | 5.700 | 49 | | | | | 35 | 19 | 0 | - | 186 | | .3% | 142.500 | 0 | 0 | 0 |
| HAGERMAN FD | | 1,800 | 30 | 21 | | | 11 | 11 | | | 7 | 91 | | .2% | 53,000 | 0 | 0 | 0 |
| WENDELL FPD | | 000'9 | 62 | | 2. | , 58 | | 31 | | | 0 | 191 | | 0.3% | 207,000 | 0 | 0 | 0 |
| 47 GOODING COUNTY | | 13,900 | 160 | ľ | 104 | ` | | 90 | | | က | 586 | | %0. | \$412,000 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | | |
| | | 648 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | %0.0 | 0 | 0 | 0 | 0 |
| CARROT RIDGE VFD | | 300 | | | | | | | | | | | | %0.0 | 0 | 0 | 0 | 0 |
| COTTONWOOD CITY FD | FD | 944 | 4 | | | 1 | 0 | 0 | 1 | | 0 | (0) | | %0.0 | 0 | 0 | 0 | 0 |
| COTTONWOOD RFPD | 0 | 100 | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 4) | | %0.0 | 0 | 0 | 0 | 0 |
| ELK CITY FD | | 400 | | | | | | | | | | J | | %0.0 | 0 | 0 | 0 | 0 |
| FERDINAND CITY/RURAL FD | RAL FD | 145 | | | | | | | | | | 0 | | %0.0 | 0 | 0 | 0 | 0 |
| GRANGEVILLE CITY/RURAL FD | RURAL FD | 3,500 | | | | | | | | | | ٥ | | %0:0 | 0 | 0 | 0 | 0 |
| HARPSTER VFD | | 515 | | | | | | | | | | | 0 | %0.0 | | | | |
| KOOSKIA FD | | 3,000 | 20 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 23 | | %0.0 | 151,775 | - | 0 | 0 |
| RIDGERUNNERS VFPD | Q | 009 | | | | | | | | | | | | %0.0 | 0 | 0 | 0 | 0 |
| RIGGINS CTY/RURAL FD | FD | 410 | 3 | | 0 | | 0 | 0 | 0 | 0 | 0 | 3 | | %0.0 | 3,000 | 0 | 0 | 0 |
| SALMON RIVER FPD | | 700 | 13 | 0 | | 1 | 1 | 3 | _ | 0 | 0 | 16 | | %0.0 | 137,750 | 0 | 0 | 0 |
| SECESH MEADOWS FD | Ð | 20 | | | | | | | | | | ٥ | | %0.0 | 0 | 0 | 0 | 0 |
| STITES FD | | 204 | | | | | | | | | | 0 | | %0.0 | 0 | 0 | 0 | 0 |
| WHITEBIRD FD | | 106 | | | | | | | | | | J | | %0.0 | 0 | 0 | 0 | 0 |
| 49 IDAHO COUNTY | | 11,622 | 46 | 0 | 3 | 4 | 1 | 5 | 2 | 0 | 0 | 61 | 0 | %0. | \$292,525 | - | 0 | 0 |
| | | | | | | | | | | | | | | | | | | + |
| CENTRAL FPD | | 5.000 | 71 | _ | 0 | 20 | 2 | 13 | 2 | - | 0 | 110 | 0 | .2% | 332.061 | 0 | 0 | 0 |
| HAMER FPD | | 98 | | | | | | | | | | 0 | | %0.0 | 0 | 0 | 0 | 0 |
| ROBERTS FD | | 647 | | | | | | | | | | 0 | | %0.0 | 0 | 0 | 0 | 0 |
| WEST JEFFERSON FPD | PD | 1,200 | | | | | | | | | | J | | %0.0 | 0 | 0 | 0 | 0 |
| 51 JEFFERSON COUNTY | | 6,933 | 71 | - | 0 | 20 | 2 | 13 | 2 | - | 0 | 110 | | .2% | \$332,061 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | - | | | | + |
| | _ | - | | | | | | | | | | | _ | _ | | | | - |

| Weah Fals Ass Serv Hazz |
|-------------------------|
| se sist |
| |
| 218 36 |
| 105 |
| cc |
| |
| 104 241 |
| |
| φ (|
| 8 77 |
| 40 1 |
| 2 0 |
| 76 79 |
| 50 |
| 28 33 |
| 9 12 |
| |
| |
| |
| |
| 0 0 |
| |
| 0 0 |
| 000 |
| 20 02 |
| - - |
| 1 10 |
| |
| 38 |
| 1 |
| |
| |
| |
| 1 0 |
| 0 1 0 |
| |
| 0 |
| 0 |
| 7 3 0 2 |
| |
| |
| |
| |
| 5 |
| |
| |
| |
| 0 0 0 2 |

| - mice | C | | गट | | | 0 | 7 | 0 | | 0 | 0 | 0 | 0 | Т | T | ग | T | ণ | 0 | 0 | | | | 0 | П | T | ा | न | | 0 | 7° | 0 | 10 | 70 | 7 | ľ | П | 0 | 0 | ा | 0 | \top |
|--------------------------|------------|-------|-------------|----------|----------|--------|-----------------------|-------------------|----------|-----------------|----------------|--------------|--------------------|--------------|-----------|----------------|-------------------------|--------------|-----------|------------------|----------------------|---------------------|------------------|---------------------|----------|-----------|--------------|------------------|-----------|------------|----------------|--------------|-------------|----------------|-------------------|----------|---------------|--------------|-----------------|------------|-------------------|-----------|
| Fire Service Fatality | c | | 5 0 | | 5 | C | 5 | 0 | \sqcup | _ | 0 | 0 | _ | \downarrow | + | 5 | 4 | | 0 | 7 | Ц | | | 2 | \dashv | 4 | 0 | 0 | - | 0 | | | | 0 | | <u> </u> | \sqcup | 0 | 0 | 0 | 0 | \bot |
| sire Service | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Injury | c | 1 | 1 | 1 | > | - | 1 | • | Н | 0 | 0 | 0 | 0 | + | + | ╅ | + | 4 | 0 | _ | Н | | | - | + | + | 0 | 0 | | 0 | - | ╁ | - | , | ┝ | + | Н | 0 | 0 | 0 | 0 | + |
| Civilian Fatality | | | 5 0 | | | | 5 | | | 0 | 0 | 0 | 0 | 4 | 1 | 5 | 4 | | 0 | 3 | | | | 3 | 4 | 4 | - | 0 | | - | | | | | | | Ц | 0 | 0 | 7 | 7 | 4 |
| Civilian | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Injury \$Loss | 24 | , | 350 | | 000, | 000 | 291,300 | 900, | | 71,000 | ,100 | 616,000 | 100 | | ď | 7 | ľ | 7 | 0 | 804,876 | 55,000 | | 2,000 | \$861,876 | | Ī | 0 | \$0 | | 0 | ٦ | 0 | 000 | | 50 000 | 3 | | 175,600 | 409,200 | ,160 | 096, | |
| | 5 | 4 | | 2 | 70 | Ş | 87 | \$29 | | 7 | 27 | 616 | 714 | | | | | | | 807 | 55 | | 7 | \$86 | | | | | | | | | 15 | | 2 | 3 | | 175 | 408 | 1,137 | 1,72 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 000 | | 0.0% | 1 6 | 0.2% | 7070 | 0.4% | 0.4% | | 0.2% | 0.1% | 0.2% | 0 | | è | 0.0% | %) | 0.0% | 0.0% | 0.8% | 0.0% | 0.0% | 0.0% | %8'0 | | | 0.0% | 0.0 | | 0.0% | 0.0% | 0.0 | 0 1% | 0.0% | ٦ | <u>'</u> | | 0.1% | 0.2% | 0.3% | %9·0 | |
| Per Cent of totals | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 | 1 | 1 6 | 2 2 | 80 | 200 | C27 | 235 | П | 126 | 29 | 125 | 310 | \dagger | 1 | 7 | 7 | 9 | 0 | 453 | 2 | 0 | 20 | 478 | 1 | 1 | 9 | • | | 0 | 10 | ┢ | 43 | <u>ب</u> | 4 | + | П | 43 | 13 | 162 | 308 | + |
| Totals | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | - | | 5 1 | 1 | , | C | | 0 | | 7 | 0 | 1 | 3 | | | | | | | 2 | | | | 2 | | | ľ | 0 | | | | 0 | | | 9 | 1 | | 0 | _ | 0 | _ | |
| | - | 1 | 5 | 1 | 4 | - | 7 | 0 | П | 0 | 0 | _ | - | | T | 1 | 1 | 1 | | 0 | | | | 0 | 1 | 1 | 1 | 9 | | | T | 0 | 10 | 10 | 6 | 1 | П | 0 | 0 | _ | _ | \dagger |
| Weather | 7 | - - | 2 = | ; | 7 | 7 | 1 | 4 | | 12 | 15 | 2 | 29 | | T | 1 | 1 | | | 168 | | | 1 | 169 | | 1 | ľ | 0 | | | Ī | 0 | 1 | - 0 | ۲ | | | 9 | က | 19 | 27 | |
| False | 4 | F | 7 8 | | | ч | 00 | 2 | | _ | 4 | 18 | က | _ | + | 4 | 4 | 4 | 4 | 49 | | | | 49 | | _ | 4 | | | | L | | 1 | | | | Ш | က | 25 | _ | 6 | \bot |
| Assist | | | 1 | 11' | " | ٩ | ۱ | 9 | | 7 | | 1 | က | | | | | | | 4 | | | | 4 | | | | | | | | | | | | | | | 7 | _ | က | |
| Asc | + | + | - m | 1 | 0 | 5 | 2 | 5 | Н | - | ∞ | 7 | 7 | \dagger | \dagger | \dagger | \dagger | \forall | + | 43 | | | | 43 | + | \dagger | + | 0 | | + | t | 6 | + | 0 | + | , | H | 2 | 7 | 9 | 77 | + |
| Service | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | 5 | 2 | 2 | 7 | 4 | 4 | | 12 | 2 | 9 | 20 | | | | | | | 39 | 5 | | | 44 | | | ľ | 0 | | | | l° | ا | | " |) | | 9 | 6 | 37 | 25 | |
| Hazard | - | 7 | 2 6 | 1 : | 00 | 14 | 2 | 15 | Н | က | 9 | 99 | 65 | + | + | + | + | + | + | _ | | | | - | \dashv | \dashv | + | 0 | | + | $\frac{1}{1}$ | | 4 | - - | 4 | + | Н | 0 | 9 | ω | 4 | + |
| EMS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - | 1 | 5 0 | , | > | _ | 7 | - | П | 0 | 0 | _ | _ | 1 | | | 1 | | | 10 | | | | 10 | 1 | 1 | | 0 | | | | 0 | 10 | 0 | 6 | · | П | 0 | 7 | 0 | 7 | \dagger |
| EXP | 7 | - 0 | ر م اور | 3 5 | 2 | 9 | 8 | 9 | Н | 82 | 24 | 88 | 147 | + | + | + | + | 4 | 4 | 141 | | | 19 | 160 | 4 | \dashv | 4 | 0 | | + | ╁ | | 34 | ~ | 37 | + | ${\mathbb H}$ | 23 | 20 | 2 | 150 | + |
| Fire | | | | | | | | - | | $^{\sim}$ | | ., | + | | | | | | | 7 | | | ` | 7 | | | | | | | | | | | `` | | | `` | 47 | - | = | |
| FIIC | | | | 2 9 | 2 | | 2 | | Н | 0 | ن ک | 0 | ίς. | 4 | | 2 9 | 21, | <u></u> | 0 | 0 | 0 | 0 | 0(| 0 | 4 | 4 | | 9 | | 0 | | 0 00 | | 2 0 | <u>«</u> | _ | Н | 2 | 0 | 4 | <u>.</u> | _ |
| non | 500 | 200 | 2 200 | 2,700 | 3,12 | 000 01 | 40,0 | 40,000 | | 10,200 | 5,645 | 8,500 | 24,345 | | 1 | 400 | 3,000 | 400 | 1,200 | 31,000 | | | 1,600 | 37,600 | | | 3,000 | 3,000 | | 550 | 470 | 2.528 | 1 800 | | 5 548 | 5 | | 3,805 | 2,500 | 13,854 | 20,159 | |
| Population Protected | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | Ш | | | | | \perp |
| | | | | | | | ا | | | | | | | | | Į | <u>.</u> | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPARTMENT NAME | | | | | | | REABURG-MADISON CO ES | | | | | | | | | | CLEARWATER FIRE SERVICE | | | | EAM | FD | | | | | | | | | | | | | | | | | | | | |
| L L | | | | ļ | _ | | | ≥ | | ∠ | | | ≱ | | | ر ار | Д П | | | FD | IAT T | NTY | o FD | ΝΤΥ | | | | | | | | | | | _ | - | | | 민 | | ح | |
| RTM | ٥ | | | | | 10 4 | Ä | | | | T F | FPD | Sour | | | | 밁 | ᆈ | | CITY | HAZN | 100 : | COR | CO | | | | Ĺ | | ۔ ا | W RF | FPD | | | | | | FD | 틹 | ا | | |
| DEP A | 2 | | | | ב ב | 2 | - סצר | NO NO | | X | ZT CI | END | OKA (| | | | WA: | SAC | H FD | NOL | TON | ERCE | TCH | ERCE | | | | A CO | | =AU F | NE C | DALE | L C | | H | | | AND | LYM | 빌 | 빌 | |
| _ | CICTOICUED | | SHOSHONE ED | | | I O Y | EVD | 65 MADISON COUNTY | | MINIDOKA COUNTY | RUPERT CITY FD | WEST END FPD | 67 MINIDOKA COUNTY | | 2 | BIG CANYON FPU | | CULDESAC FD | LAPWAI FD | LEWISTON CITY FD | LEWISTON HAZMAT TEAM | NEZ PERCE COUNTY FD | POTLATCH CORP FD | 69 NEZ PERCE COUNTY | | | MALAD VFD | 71 ONEIDA COUNTY | | BRUNEAU FD | GRAND VIEW RFD | HOMEDALE FPD | MARSING FPD | -R-V | 73 OWYHEE COLINTY | | | FRUITLAND FD | NEW PLYMOUTH FD | PAYETTE FD | 75 PAYETTE COUNTY | |
| | - | 7 10 | 2 0 | 2 | 2 | ٥ | ۲ | 65 | Н | 2 | 2 | > | 67 N | \dagger | + | | 7 | 쒸 | 4 | ۲ | Н | Z | Ь | N 69 | \dashv | + | 2 | 7 | \dagger | <u> </u> | 10 | ╁ | 12 | : ≥ | 73 | 2 | H | ш | Z | <u>- </u> | 75 P | + |
| ē | 90008 | | 33 | 3 | | 700 | 40, | | | 67336 | 301 | 334 | | | * | 09333" | 6932U° | 69311* | *90869 | 201 | 509 | .44869 | 20 | | | | 71301* | | | 73340* | 73338* | 34 | 38 | 342 | | | | 302 | 303 | 301 | | |
| FDID | 600 | | 63333 | <u> </u> | | 0 2 3 | 002234 | | | 673 | 67301 | 67334 | | | 5 | | 8 | 69 | 99 | 69201 | 69209 | 993 | 69220 | | | | 7 | | | 733 | 733 | 73334 | 73336 | 73342 | | | | 75302 | 75303 | 75301 | | \perp |

| FDID | DEPARTMENT NAME | Population Protected | Fire | EXP | EMS | Service Hazard | Assist | False | Weather | Other | Totals | Per Cent totals | | Injury \$Loss | Fatality | Civilian | Fatans) | Fire Service |
|---------|-------------------------|-------------------------|------------------|-----------|----------------------|-------------------|-------------------|---------|---------------|--------------|---------------------|--------------------|---------|------------------|----------|----------|---------|--------------|
| | | | 1 | 1 | 1 | 1 | + | + | + | 4 | | | - 1 | | 一; | 一; | 1 | ce |
| 77220* | <u>ئ</u> ا | | | 1 | \dagger | + | + | + | + | + | \downarrow | D | %0.0 | 5 0 | 5 0 | 5 0 | 5 0 | |
| 1,000 | POWER COOL FD | 00 5 | | \dagger | \dagger | + | + | + | + | \downarrow | \downarrow | | 0.0.0 | 5 0 | 5 0 | 3 | 5 0 | al' |
| 77306 | ROCKLAND RFD | 3,316 | 1 | 1 | 1 | 1 | 1 | + | + | | | | 0.0% | 0 | 5 | 9 | 0 (| ٥١ |
| | 77 POWER COUNTY | 9,566 | 0 | 0 | • | • | • | • | • | 0 | 0 | | %0.0 | \$0 | • | + | 0 | 0 |
| | | | | | | $\frac{1}{1}$ | + | + | | + | 1 | | | | | + | | |
| 79305* | PRICHARD/MI IRRAY VED | 200 | | | | | | + | | + | | | %0 0 | | | + | C | ٦ |
| 79236 | SHOSHONE COLINTY FPD #1 | 4 000 | 30 | _ | 364 | 14 | 10 | 27 | 10 | c | 1 | | 0.8% | 74 200 | 0 0 | 0 | 0 | |
| 79234 | SHOSHONE COLINTY FPD#2 | 10,000 | 25 | - m | 476 | 1 2 | 0 0 | 76 | 33 | | - 4 | | 1 1% | 136,500 | 7 | 0 | 7 | |
| 79316* | SHOSHONE COUNTY FPD#3 | 1,000 | 3 | 1 | | ! | 2 | 2 | 3 | | | | %0.0 | 000 | - c | 0 | · c | |
| 79310 * | ST JOE VALLEY FPD | 250 | | | | | | | | | | | 0.0% | 0 | 0 | - | 0 | 0 |
| | 79 SHOSHONE COUNTY | 14,700 | 98 | 4 | 840 | 26 | 29 | 103 | 43 | 0 | 5 1,136 | | 1.9% | \$210,700 | - | 6 | - | 0 |
| | | , | | | | | | | | | | | | | | H | | |
| | | | | 1 | 1 | 1 | + | + | 1 | | | | + | | 1 | \dashv | | |
| 81334 | | 6,700 | 22 | 0 | 0 | 80 | က | 4 | 7 | 0 | 0 | 44 | 0.1% | 28,840 | 0 | 0 | 1 | 0 |
| | 81 TETON COUNTY | 6,700 | 22 | 0 | 0 | œ | က | 4 | 7 | | | | 0.1% | \$28,840 | 0 | 0 | 1 | 0 |
| | | | | | | | + | + | | - | | | | | | + | | |
| 1000 | : : : | | 1 | 1 | - | 8 | + | + | + | | | | ì | | + | - | , | ľ |
| 83207 | BUHL FD | 8,000 | /9 | 5 | 18 | 33 | 4 | 15 | 15 | 5 | 5 | | 0.3% | 1,394,090 | - | 5 | - 1 |) ا |
| 83340* | CASTLEFORD FD | 277 | | | | - | | + | - | | | | %0.0 | 0 | 0 | 0 | 0 | |
| 83338 | FILER FD | 2,200 | 33 | 0 0 | 0 | 32 | o (| 32 | 14 | 0 0 | 7 | | 0.2% | 36,000 | 0 | 0 | 0 0 | 0 |
| 83309 | HANSEN FD | 006 | C. | 0 | 5 | n | 5 | - | 7 | | | | 0.0% | /1,500 | 5 | 5 | 0 | ٦ |
| 83305 | KIMBERLY FD | 3,000 | 10 | 0 | - | / | 7 | 9 | 2 | | | | 0.1% | 26,500 | - | 0 | 0 | |
| 83334 | ROCK CREEK FD | 3,000 | 30 | 0 | 12 | 43 | 7 | 56 | 4 | 0 | | | 0.2% | 245,765 | _ | 0 | 0 | 0 |
| 83349 | SALMON TRACT VFD | 750 | 11 | 0 | 28 | 0 | 0 | 3 | 0 | | | | 0.1% | 20,000 | 0 | 0 | 0 | 0 |
| 83101 | TWIN FALLS FD | 47,000 | 195 | 989 | 2 | 687 | 64 | 279 | 154 | 0 | 28 2,095 | | 3.5% | 1,269,284 | _ | 0 | 0 | 0 |
| | 83 TWIN FALLS COUNTY | 65,127 | 351 | 989 | 62 | 802 | 8 | 362 | 197 | | 1 2,575 | | 4.4% | \$3,063,139 | 4 | • | _ | ျ |
| | | | | | | | | + | + | + | | | 1 | | | + | | |
| 05300 | CASCADE CITY ED | 7 | 7 | 7 | ٥ | 1 | c | c | 7 | | | 00 | 0 1 0/2 | | c | c | C | |
| 00000 | CASCADE CITTED | 010,1 | - 5 | - 0 | 0 7 | - 4 | 0 0 | 1 5 | - < | | | | 0.1% | 000 | 5 0 | 5 0 | 5 0 | |
| 85304 | DONNELLY ED | 4,500 | 3 98 | 5 0 | 217 | 0 < | 2 90 | 7 9 | t α | 5 0 | | | 0.1% | 384 900 | 5 0 | 5 0 | 5 0 | |
| 85340* | HIGH VALLEY FPD | 2000 | 3 | | 7 | F | 2 | | 0 | | | | %0.0 | 0000 | 0 0 | 0 0 | 0 0 | |
| 85330 | MCCALLED | 000 8 | 43 | c | 176 | 30 | 17 | 14 | 47 | | 3 | | 0.5% | 4 602 500 | 0 0 | 0 | 0 4 | |
| 85359* | STIBNITE ED | 35 | P | + | - | 3 | - | - | F | | | | %0.0 | 000,500 | 0 0 | 0 | FC | |
| | 85 VALLEY COUNTY | 9.900 | 102 | - | 449 | 46 | 22 | 34 | 09 | 0 | 3 | | 1.2% | \$4,989,400 | 0 | 0 | 4 | P |
| | | | | | \parallel | H | H | H | H | H | | | | | | H | | |
| 87330* | CAMBRIDGE | 780 | | | | | | | | - | | C | %0.0 | С | C | - | С | |
| 87336 | MIDVALE FD | 1.000 | 6 | 0 | 0 | 0 | 0 | - | 0 | | | | 0.0% | 21.000 | 0 | 0 | 0 | 0 |
| 87301 | WEISER CITY FD | 5,343 | 21 | 0 | 0 | 2 | 9 | 2 | 2 | 0 | 2 | 38 | 0.1% | 47,500 | 0 | 0 | 0 | 0 |
| 87334 | WEISER RFD | 4,200 | 35 | 2 | 8 | 0 | - | - | 0 | | | | 0.1% | 44,300 | 0 | 0 | 0 | 0 |
| | 87 WASHINGTON COUNTY | 10,543 | 65 | 2 | 8 | 2 | 7 | 4 | 2 | 0 | 3 | 96 | 0.5% | \$112,800 | 0 | 0 | ٥ | |
| | | | * | | | * | | | - | _ ; | | | - | | | \dashv | | |
| | SINTOT | 1 202 827 | Delione 6 224 | ION SAI | S NOII FAITICIPALITY | 9 | 2 922 F 974 F 049 | ow Depa | Tullelli 1 | Organization | ZALIOII A GO 048 | | 400% | 2E 442 007 | 73 | 5 | 24 | ١ |
| | 20.01 | 1,004,00.1 | 1,22,5 | 210 | 5, 5 | | 4,004 | Field | 2,0,0 | - 1 | | | 20 | 1,00,1 | 1 | 2 | 5 | ' |

Idaho's Fire Departments Respond Every:

